

CODEL  
DOORS



Fiberglass, Steel and Wood Doors





SF20F4L doors with Ivory paint.



# CODEL DOORS

**Complete & Ontime DELivery!**

*Featuring Fiberglass, Steel and Wood entry doors.*

## Table of Contents

The CODEL Difference ..... 4-5  
 Door Skins and Textures ..... 6-7  
 New Products..... 8-9  
 Design Ideas..... 10-13  
**Contemporary Classics**  
 6-8 & 7-0 Contemporary Classics Collection..... 14-15  
 8-0 Contemporary Classics Collection ..... 16-17  
 Decorative Contemporary Classics Collection..... 18  
**NEW** Engraved Contemporary Classics..... 19  
**Craftsman**  
 6-8 Standard Craftsman Collection..... 20-21  
 6-8 & 8-0 Smooth Fiberglass Heritage Craftsman Collection ..... 22-25  
 6-8 & 8-0 Fir-Grain Fiberglass Heritage Craftsman Collection ..... 26-29  
**Commodity Doors**  
 Smooth Fiberglass Standard Collection..... 30-33  
 Smooth Fiberglass Flush-Glazed Collection ..... 34-36  
 Oak Grain Textured Fiberglass Standard Collection ..... 37-39  
 Oak Grain Textured Fiberglass Flush-Glazed Collection..... 40-41  
 Fir-Grain Textured Fiberglass Collection ..... 42-43  
**NEW** Premium Shaker Fiberglass Collection..... 44  
 "True White" Oak Grain Textured Fiberglass Collection ..... 45  
 Rustic Fiberglass Collection ..... 46-47  
 Steel Standard Collection..... 48-49  
 90-Minute "Fast-Frame" Fire Doors..... 50-51  
 Breezeway Collection..... 52  
**NEW** Douglas Fir Full-Lite Wood Doors..... 53  
 Single-Hinged Inswing Fiberglass Patio Doors ..... 54-55

### Decorative Collections

<b>NEW</b> Chord..... 56-57	Artisan ..... 74-75
<b>NEW</b> Rooftop..... 58-59	Adelaide..... 76-77
<b>NEW</b> Satin Etch ..... 60-61	Narrows..... 78-79
Cirque ..... 62-63	Modena..... 80-81
Canterbury..... 64-65	Harlow ..... 82-83
Caspian..... 66-67	Floret..... 84-85
Brentwood ..... 68-69	Eloquence ..... 86-87
Maren..... 70-71	Sonora ..... 88-89
Waterton..... 72-73	Inspire..... 90-91

Obscure Glass Options ..... 92  
**NEW** Specialty Glass Options..... 93  
**NEW** Split Finish..... 94-95  
 WeatherGuard Frame..... 96  
 Adjustable Sill Pan & Jamb Options..... 97  
 Sills..... 98  
 Hinges..... 99  
 Hoppe MultiPoint Hardware ..... 100  
 Rockwell MultiPoint & Standard Hardware ..... 101-103  
 Contemporary Door Pulls..... 104  
 Codel Door Configurations..... 105  
 Decorative Transom Sizes & Door Handing ..... 106  
 Prehung Net Unit Measurements..... 107

## Style & Beauty

Traditional to Classic, Craftsman to Contemporary. Codel offers a wide selection of styles and designs to best suit your own unique design theme.



## Secure

MultiPoint lock hardware options or a heavy-duty steel plate to reinforce the latch jamb against break-in force, offers more security and peace of mind.



### HEAVY-DUTY Steel Plate


Reinforces jamb against break-in force.



### MultiPoint Lock Hardware

(Optional)

Increases resistance against break-in force.



# Efficient

Codel doors provide more insulation value than wood doors; and are more efficient than older, worn-out, drafty doors. Low-E and Argon is standard in our decorative glass doors.



Low-Emissivity (Low-E) and Argon is standard in our decorative glass for improved energy performance.

**Thermal Performance values established in accordance with ETC Laboratories (NFRC) Simulation Report**

	R value	U value	SHGC value
Fiberglass Full Panel door unit w/no glass	6.25	0.16	0.00
Fiberglass door unit w/1/4 Clear Glass	4.35	0.23	0.10
Fiberglass door unit w/1/2 Clear Glass	3.57	0.28	0.19
Fiberglass door unit w/Full Clear Glass	2.70	0.37	0.33
Fiberglass door unit w/1/2 Clear Mini Blind Glass	3.23	0.31	0.14
Fiberglass door unit w/Full Clear Mini Blind Glass	2.56	0.39	0.27
Fiberglass door unit w/1/2 Low-E Glass	4.17	0.24	0.16
Fiberglass door unit w/Full Low-E Glass	3.45	0.29	0.28
Fiberglass door unit w/1/2 Low-E Mini Blind Glass	3.57	0.28	0.11
Fiberglass door unit w/Full Low-E Mini Blind Glass	2.94	0.34	0.22
Fiberglass door unit w/1/4 Low-E Decorative Glass	5.00	0.20	0.07
Fiberglass door unit w/1/2 Low-E Decorative Glass	4.55	0.22	0.13
Fiberglass door unit w/3/4 Low-E Decorative Glass	4.17	0.24	0.17
Fiberglass door unit w/Full Low-E Decorative Glass	3.85	0.26	0.23
Fiberglass door unit w/Full Flush Glazed Clear Glass	2.56	0.39	0.42
Fiberglass door unit w/Full Flush Glazed Low-E Glass	3.70	0.27	0.32
Fiberglass door unit w/Full Flush Glazed Clear Mini Blind Glass	2.63	0.38	0.27
Fiberglass door unit w/Full Flush Glazed Low-E Mini Blind Glass	3.03	0.33	0.22

# Quality Features


## WeatherGuard Jamb

(Optional)  
Composite jambs resist moisture, rotting, splitting and termites.



## WaterShed Sill

(Optional)  
Unique sill features are designed for better protection against leaks.



## Heavy-Duty Ball Bearing Hinges

Designed to operate smoother and longer.  
(Standard on Fiberglass Doors)



Not Available in Wood-Edge or Steel Doors.

**Smooth Fiberglass SF**



**Heritage  
"Fir Grain" Textured Fiberglass FG**



**"Oak" Textured Fiberglass TF**



**Premium Shaker  
Smooth Fiberglass SF or Fir Grain FG**



**"True White" Oak Grain  
Textured Fiberglass**



**"Rustic" Textured Fiberglass RF**



**Steel** S



See page 48-49 for Steel doors.

**"Teak" Textured Fiberglass**



See page 19 for Teak door.

**Heritage Craftsman**  
Fir-Grain FG or Smooth Fiberglass SF



See pages 26-29 for Heritage Craftsman Collection.

**Flush Cherry Engraved**



See page 19 for Flush Cherry Engraved doors.

**Vertical Grain Douglas Fir Wood**



See page 53 for Douglas Fir Full-lite doors. Codel does not offer a factory finish on the DF21 and DF22.



Professional factory painting or staining for a beautiful finish.  
(See back of brochure for additional colors.)

**NEW**

**Premium 1 & 2-Panel Shaker Doors** See page 44.



FG1PSHK  
(Available in SF)



SF2PSHK  
(Available in FG)



Exterior View



Interior View



**NEW**  
**Split Finish**  
**Coating Options**

Codel Coatings can be applied in a number of ways, from one color on the entire unit inside and out, to a split finish. (See page 94-95.)

**NEW**


**3-1/2" Aluminum Mullion Bar**

Codel now offers 3-1/2" Aluminum Mullion Bars compatible with our Smooth Fiberglass Flush Glazed Contemporary Collection. (See page 35.)



**NEW**

**Decorative**  
**Textured Glass**  
**Options** See page 56-61.



Chord



Rooftop



Satin Etch



**NEW**  
**Engraved Contemporary Classics**

See page 19.

**Smooth Fiberglass Metal Bars**



CON-S605



CON-S612

**Flush Cherry Engraved**

Shown with Ginger stain. See back cover for additional stain options.



CON-C499




CON-C498



CON-C500



CON-C501




CON-C551

**NEW**  
**Contemporary Classics**

22" x 10" glass size in 6/8 and 8/0.

See pages 15 & 17.




SF

CON-22103



SF

CON-22104



SF

CON-2210480



SF

CON-2210580

**NEW**  
**Douglas Fir Wood Door**

The first wood entry doors from CODEL. See page 53.



DF21 (4-1/2" Stile)



DF22 (5" Stile)

**NEW**  
**Smooth Fiberglass Doors**

See page 30.



SF3E



SF3PSHK 7/0

**NEW**  
**Knotty Alder Rustic**

See page 46.



RUS2PAKA



RUS2PAKASL

**NEW**  
**1-Panel Fir Grain**

See page 43.



FG1PSHK 7/0



FG1PSHK 8/0



## Modern Farmhouse

*A balanced blend of modern and rustic, the Modern Farmhouse style continues to be a rising trend. We paired some of our favorite door and glass options that intelligently mix modern and traditional.*



*Modena  
MOD-4401P  
(See pages 80-81.)*



*Adelaide  
FGHADE-200  
(See pages 76-77.)*



*Maren  
MAR-460  
(See pages 70-71.)*



**Contemporary**

*Contemporary homes reflect the architecture and design of today. They represent smart design and curb appeal. We selected several doors that we believe represent the ethos of now and can be loved forever.*



*Satin Etch  
CON-2236  
(See pages 60-61.)*



*Chord  
CHO-460  
(See pages 56-57.)*



*Rooftop  
CON-7642  
(See pages 58-59.)*



*SF20F4L  
Flush-Glazed  
Contemporary  
with applied  
Aluminum  
Mullion Bars  
Satin Etch  
(See page 35.)*



**Craftsman**

Craftsman homes emphasize hand-worked touches and beautiful detailing. Popularized at the turn of the 20th Century, it remains a popular design aesthetic. We have recommended several door and glass options that give you the beautiful detailing a craftsman home requires.



**Artisan**  
ART-4301P  
(See pages 74-75.)



**Sonora**  
SON-4401P  
(See pages 88-89.)



**Narrows**  
NAR-460  
(See pages 78-79.)



**Waterton**  
WAT-64  
(See pages 72-73.)



**Adelaide**  
ADE-200  
(See pages 76-77.)



## Traditional

*Traditional homes are comforting and classic. Their interiors are calm, orderly and predictable. Everything matches and is consistent. We suggest these doors for completing the look in a traditional home style and décor.*



*Floret*  
FLO-1842OV  
(See pages 84-85.)



*Adelaide*  
ADE-4401P  
(See pages 76-77.)




*Inspire*  
INS-430  
(See pages 90-91.)



*Eloquence*  
ELO-440  
(See pages 86-87.)



*Canterbury*  
CAN-460  
(See pages 64-65.)



## 6/8 & 7/0 Contemporary Classics

(Textured Fiberglass available upon request. Contact your Codel Rep. for details.)

CON-2285 door with Clear glass and Proctor paint.



Daylight Glass Size 21" x 2-1/2"

SF


CON-2235  
6-8 (28 210 30 36)  
7-0 (28 30 36)



Daylight Glass Size 21" x 7"

SF


CON-2285  
6-8 (28 210 30 36)  
7-0 (28 30 36)



Daylight Glass Size 21" x 7"

SF

CON-2284  
6-8 (28 210 30 36)  
7-0 (28 30 36)



Daylight Glass Size 6" x 63"

SF

CON-764C  
6-8 (28 210 30 36)  
7-0 (28 30 36)



Daylight Glass Size 6" x 63"

SF

CON-764S  
6-8 (28 210 30 36)  
7-0 (28 30 36)



Daylight Glass Size 6" x 63"

SF

CON-764SL  
(12" & 14")



Daylight Glass Size 7" x 5"

SF

CON-865C  
6-8 (28 210 30 36)  
7-0 (28 30 36)



Daylight Glass Size 7" x 5"

SF

CON-865S  
6-8 (28 210 30 36)  
7-0 (28 30 36)




Daylight Glass Size 7" x 5"

SF

CON-865SL  
(14")

SF Smooth Fiberglass



Daylight Glass Size 21" x 9"

SF

CON-22103  
6-8 (28 210 30 36)  
7-0 (28 30 36)



Daylight Glass Size 21" x 9"

SF

CON-22104  
6-8 (28 210 30 36)  
7-0 (28 30 36)



Daylight Glass Size 21" x 14-1/4"

SF

CON-22153  
6-8 (28 210 30 36)  
7-0 (28 30 36)



Daylight Glass Size 21" x 2-1/2" (4) & 21-1/4" (1)

SF

CON-221534  
6-8 (28 210 30 36)  
7-0 (28 30 36)



Daylight Glass Size 6" x 63" (x 2)

SF

CON-7642  
6-8 (28 210 30 36)  
7-0 (28 30 36)



Daylight Glass Size 7" x 7"

SF

CON-884C  
6-8 (28 210 30 36)  
7-0 (28 30 36)



Daylight Glass Size 7" x 7"

SF

CON-884S  
6-8 (28 210 30 36)  
7-0 (28 30 36)



Daylight Glass Size 7" x 7"

SF

CON-884SL  
(14")



Daylight Glass Size 2-1/2" x 21"

SF

CON-3223  
6-8 (28 210 30 36)  
7-0 (28 30 36)



Daylight Glass Size 7" x 7"

SF

CON-884D  
6-8 (28 210 30 36)  
7-0 (28 30 36)

## Stock Glass Options



Clear/LowE



Rooftop



Satin Etch



Chord



Contemporary Low Profile Lite Frame

## Paint Options



Color samples are reproduced as close as possible, actual color may vary.

**CODEL  
DOORS**

**8/0  
Contemporary Classics  
(Smooth Fiberglass Only)**




*Contemporary Classics CON-2236 door with Satin Etch glass and Carbon paint.*



Daylight Glass Size 21" x 2-1/2"

SF

CON-2236  
(28 30 36)



Daylight Glass Size 21" x 7"

SF


CON-2286  
(28 30 36)



Daylight Glass Size 21" x 2-1/2" (4) & 21-1/4" (1)

SF

CON-221535  
(28 30 36)



Daylight Glass Size 21" x 14-1/4"

SF


CON-22154  
(28 30 36)



Daylight Glass Size 7" x 5"

SF

CON-866C  
(28 30 36)



Daylight Glass Size 7" x 5"


SF

CON-866S  
(28 30 36)

SF Smooth Fiberglass




# Stock Glass Options




Daylight Glass Size 21" x 7"

CON-2285  
(28 30 36)



Daylight Glass Size 21" x 9"

CON-2210480  
(28 30 36)



Daylight Glass Size 21" x 9"

CON-2210580  
(28 30 36)



Clear/LowE




Rooftop



Satin Etch



Chord




Daylight Glass Size 7" x 7"

CON-885C  
(28 30 36)



Daylight Glass Size 7" x 7"

CON-885S  
(28 30 36)




Daylight Glass Size 7" x 7"

CON-885SL  
(14")


# Paint Options



Color samples are reproduced as close as possible, actual color may vary.



Contemporary  
Low Profile  
Lite Frame



Daylight Glass Size 7" x 5"

CON-866SL  
(14")



Daylight Glass Size 7" x 7"

CON-885D  
(28 30 36)

# Decorative Contemporary Classics




6/8 & 7/0

Daylight Glass Size 21" x 14-1/4"

SF

ART-22153  
6-8 (28 210 30 36)  
7-0 (28 30 36)



6/8 & 7/0

Daylight Glass Size 21" x 14-1/4"

SF

MOD-22153  
6-8 (28 210 30 36)  
7-0 (28 30 36)




6/8 & 7/0

Daylight Glass Size 21" x 14-1/4"

SF

HAR-22153  
6-8 (28 210 30 36)  
7-0 (28 30 36)




8/0

Daylight Glass Size 21" x 14-1/4"

SF

ART-22154  
(28 30 36)



8/0

Daylight Glass Size 21" x 14-1/4"

SF

MOD-22154  
(28 30 36)




8/0

Daylight Glass Size 21" x 14-1/4"

SF

HAR-22154  
(28 30 36)




6/8 & 7/0

Daylight Glass Size 6" x 63" (x 2)

SF

ART-7642  
6-8 (28 210 30 36)  
7-0 (28 30 36)




6/8 & 7/0

Daylight Glass Size 6" x 63" (x 2)

SF

MOD-7642  
6-8 (28 210 30 36)  
7-0 (28 30 36)



6/8 & 7/0

Daylight Glass Size 6" x 63" (x 2)

SF

HAR-7642  
6-8 (28 210 30 36)  
7-0 (28 30 36)



6/8 & 7/0

Daylight Glass Size 6" x 63"

SF

ART-764C  
6-8 (28 210 30 36)  
7-0 (28 30 36)



6/8 & 7/0

Daylight Glass Size 6" x 63"

SF

MOD-764C  
6-8 (28 210 30 36)  
7-0 (28 30 36)



6/8 & 7/0

Daylight Glass Size 6" x 63"

SF

HAR-764C  
6-8 (28 210 30 36)  
7-0 (28 30 36)



6/8 & 7/0

Daylight Glass Size 6" x 63"

SF

ART-764S  
6-8 (28 210 30 36)  
7-0 (28 30 36)



6/8 & 7/0

Daylight Glass Size 6" x 63"

SF

MOD-764S  
6-8 (28 210 30 36)  
7-0 (28 30 36)



6/8 & 7/0

Daylight Glass Size 6" x 63"

SF

HAR-764S  
6-8 (28 210 30 36)  
7-0 (28 30 36)



6/8 & 7/0

Daylight Glass Size 6" x 63"

SF

ART-764SL  
6-8 (12" & 14")  
7-0 (12" & 14")



6/8 & 7/0

Daylight Glass Size 6" x 63"

SF

MOD-764SL  
6-8 (12" & 14")  
7-0 (12" & 14")



6/8 & 7/0


Daylight Glass Size 6" x 63"

SF

HAR-764SL  
6-8 (12" & 14")  
7-0 (12" & 14")



HAR-764S and HAR-764SL sidelite with Magnolia paint.



Contemporary Low Profile Lite Frame

## Paint Options



Color samples are reproduced as close as possible, actual color may vary.

A new offering of high-quality Fiberglass door designs that complement the architectural style of contemporary homes. These doors contain engravings or steel bars for a striking front entrance.

**NEW**

## Flush Cherry Engraved Contemporary Classics



Unfinished  
Flush Cherry

Doors shown here are stained  
with Ginger stain.  
(See back cover for additional  
stain options.)



CON-C499  
6-8 (30)  
8-0 (30 36)



CON-C498  
6-8 (14")  
8-0 (14")



CON-C500  
6-8 (30)  
8-0 (30 36)



CON-C501  
6-8 (30)



CON-C551  
8-0 (30 36)

**NEW**

## Smooth Fiberglass Metal Bar Contemporary Classics




CON-S612 door.



CON-S605  
6-8 (30)



CON-S612  
8-0 (30)



Smooth Fiberglass

## Textured Fiberglass Teak Contemporary Classics



TFT door. Stain shown is not Codel Coatings.



TFT  
6-8 (30)







Unfinished Teak  
(See back cover for Stain options.)

**CODEL  
DOORS**



# 6/8 Standard Craftsman

Maren MAR-200 door with Denim paint.

<p>Adelaide - Patina Caming</p>		<p>Maren - Patina Caming</p>		<p>Narrows - Patina Caming</p>		<p>Waterton - Patina Caming</p>	
	<p>SF TF</p>		<p>SF TF</p>		<p>SF TF</p>		<p>SF TF</p>
	<p>ADE-200 (30)</p>		<p>ADE-160 (12" &amp; 14")</p>		<p>MAR-200 (30)</p>		<p>MAR-160 (12" &amp; 14")</p>
					<p>NAR-200 (30)</p>		<p>NAR-160 (12" &amp; 14")</p>
						<p>WAT-200 (30)</p>	<p>WAT-160 (12" &amp; 14")</p>

SF Smooth Fiberglass TF Textured Fiberglass Doors shown with optional C-21P shelf.



### Craftsman Transom



- FLF-6312 / FLF-6712 / FLF-7212
- Refer to Page 106 for Transom Size Information.
- Extended Leadtime Required.

### C-21P Craftsman Shelf



(Optional)


## 6/8 & 8/0 Craftsman 4-Panel Collection



**NO Door Shelf Available**




Adelaide ADE-200 doors with Carbon paint.




SFHER-206 door with Cougar paint.

# 6/8 Smooth Fiberglass Heritage Craftsman



Smooth Fiberglass - \*SDI: Simulated Divided Lite - Additional Obscure Glass Options Available, See Page 92. - Doors shown with optional C21P Craftsman Shelf.

# 6/8 Smooth Fiberglass Heritage Craftsman



SFHER-206  
(28 210 30)



SFHER-202  
(12" & 14")



SFHER-260  
(12" & 14")




SFHFLS-200  
(28 210 30)



SFHFL-201  
(12" & 14")



SFHFL-260  
(12" & 14")



SFHART-200  
(28 210 30)



SFHART-201  
(12" & 14")



SFHART-260  
(12" & 14")



SFHNR-200  
(28 210 30)



SFHNR-201  
(12" & 14")




SFHNR-260  
(12" & 14")



SFHADE-200  
(28 210 30)



SFHADE-201  
(12" & 14")



SFHADE-260  
(12" & 14")




SFHMOD-200  
(28 210 30)



SFHMOD-201  
(12" & 14")




SFHMOD-260  
(12" & 14")



SFHMAR-200  
(28 210 30)



SFHMAR-201  
(12" & 14")



SFHMAR-260  
(12" & 14")



SFWAT-200  
(28 210 30)



SFWAT-201  
(12" & 14")



SFWAT-260  
(12" & 14")

## Heritage Lite Kit Frame



Lite kit frame features clean, classic lines, and is reglazeable.

## Simulated Divided Lite



Simulated divided lite bars are 5/16" thick x 1-1/8" wide.

## C-21P Craftsman Shelf



(Optional)




Color samples are reproduced as close as possible, actual color may vary.

# 8/0 Smooth Fiberglass Heritage Craftsman



SFHFLS-300 door with Ivory paint.




SFHER-300 (30)



SFHER-301 (12" & 14")




SFHER-280 (12" & 14")




SFHER-303 (30)



SFHER-301 (12" & 14")



SFHER-280 (12" & 14")



SFHER-304 (30)



SFHER-302 (12" & 14")



SFHER-280 (12" & 14")



# 8/0 Smooth Fiberglass Heritage Craftsman



Clear I.G. w/6-Lite SDL\*

SF

SFHER-306  
(30)



Wood Edge

SF

SFHER-302  
(12" & 14")



SF

SFHER-280  
(12" & 14")



Beveled Glass, Clear I.G./Patina Caming

SF

SFHFLS-300  
(30)



Wood Edge

SF

SFHFLF-302  
(12" & 14")



Artisan - Patina Caming

SF

SFHART-300  
(30)



Wood Edge

SF

SFHART-301  
(12" & 14")



SF

SFHART-280  
(12" & 14")



Narrow - Patina Caming

SF

SFHNAR-300  
(30)



Wood Edge

SF

SFHNAR-301  
(12" & 14")



Adelaide - Patina Caming

SF

SFHADE-300  
(30)



Wood Edge

SF

SFHADE-301  
(12" & 14")



SF

SFHADE-280  
(12" & 14")



Modena - Patina Caming

SF

SFHMOD-300  
(30)



Wood Edge

SF

SFHMOD-301  
(12" & 14")



SF

SFHMOD-280  
(12" & 14")



Maren - Patina Caming

SF

SFHMAR-300  
(30)



Wood Edge

SF

SFHMAR-301  
(12" & 14")



Waterton - Patina Caming

SF

SFHWAT-300  
(30)



Wood Edge

SF

SFHWAT-301  
(12" & 14")



SF

SFHWAT-280  
(12" & 14")

**Heritage Lite Kit Frame**



Lite kit frame features clean, classic lines, and is reglazeable.

**Simulated Divided Lite**



Simulated divided lite bars are 5/16" thick x 1-1/8" wide.

**C-21P Craftsman Shelf**




(Optional)



Color samples are reproduced as close as possible, actual color may vary.

# 6/8 Fir-Grain Textured Fiberglass Heritage Craftsman



FGHER-206 door with Nutmeg stain.

Choose one of 3 factory-applied stain colors specially formulated for our Fir-Grain Heritage Craftsman doors & sidelites.



Ginger



Nutmeg



Clove

Color samples are reproduced as close as possible, actual color may vary.



FG Fir Grain Texture - \* SDL: Simulated Divided Lite - Additional Obscure Glass Options Available, See Page 92. - Doors shown with optional C21F Craftsman Shelf.

# 6/8 Fir-Grain Textured Fiberglass Heritage Craftsman



## Heritage Lite Kit Frame



Lite kit frame features clean, classic lines, and is reglazeable.

## Simulated Divided Lite



Simulated divided lite bars are 5/16" thick x 1-1/8" wide.

## C-21F Craftsman Shelf



(Optional)

# 8/0 Fir-Grain Textured Fiberglass Heritage Craftsman



Choose one of 3 factory-applied stain colors specially formulated for our Fir-Grain Heritage Craftsman doors & sidelites.



Ginger



Nutmeg



Clove

Color samples are reproduced as close as possible, actual color may vary.

FGHART-300 door. Stain color shown is not Codel Coatings.



Clear I.G.

Wood Edge

FG

FGHER-300 (30)



FG

FGHER-301 (12" & 14")



FG

FGHER-280 (12" & 14")



Clear I.G. w/3-Lite SDL\*

Wood Edge

FG

FGHER-303 (30)



FG

FGHER-301 (12" & 14")



FG

FGHER-280 (12" & 14")



Clear I.G. w/4-Lite SDL\*

Wood Edge

FG

FGHER-304 (30)



FG

FGHER-302 (12" & 14")



FG

FGHER-280 (12" & 14")

# 8/0 Fir-Grain Textured Fiberglass Heritage Craftsman



## Heritage Lite Kit Frame



Lite kit frame features clean, classic lines, and is reglazeable.

## Simulated Divided Lite



Simulated divided lite bars are 5/16" thick x 1-1/8" wide.

## C-21F Craftsman Shelf



(Optional)

## Smooth Fiberglass Collection



SF2PA door with Cougar paint.

### Key Code Chart

GBG ..... Available w/Grids between Glass

LE ..... Available w/Low-E Glass

● ..... Available in 7<sup>0</sup> Height

▲ ..... Available in 8<sup>0</sup> Height

■ ..... Extended Leadtime Required

◆ ..... Available w/Panic Blocking/  
Closure Reinforcement (6-8 Only)

🔥 ..... 20-Min. Fire Rated (\*6-8 Only, 3-0 Max Width.)

SFF/SFF20



4-0 has no warranty against bowing or wavy skin.

SF6P/SF6P20



\*20-Minute Option Available in 2-8 & 3-0 (6/8) Only

SF4P



SF3P



(8/0 Only)

8/0 Has Curved Top Panel

SF3E




NEW

SF66



SF3PSHK




(8/0 Only Composite Edges)

Wood Edge

See Page 23 For Optional Craftsman Shelf, Glass and Sidelite Options.

SF5PSHK



No Matching Sidelites Available.

SF62



SFC



SF622



LE 6-8, 7-0 / ■ LE 8-0

SF61



LE

**We Finish What We Start!**

SF44



SF2P



\*20-Minute Option Available in 2-8 & 3-0 (6/8) Only

SF2PA



SF2PC



SF2PL



SF93




SF9P



SF91



SF1PSHK



SF2PSHK



SF64



Fixed Grid Only

SF64C



SF64GBG



GBG only

SF648CL



SFW



Fixed Grids Standard

GBG

SF29



GBG Only

SF69



Fixed Grid Standard

SF6V



Vented Glass w/screen

SF61MB



Raise & Lower Mim Blinds

SF81



■ GBG & LE

GBG, GBG & LE /  
■ Fixed Grid & LE






LE

LE 2-8, 2-10, 3-0  
■ LE 2-6

LE




Color samples are reproduced as close as possible, actual color may vary.



Color samples are reproduced as close as possible, actual color may vary.





SF15 door. Paint color shown is not Codel Coatings.

**We Finish  
 What We Start!**



Color samples are reproduced as close as possible, actual color may vary.

# CODEL DOORS

## Smooth Fiberglass Flush-Glazed Collection



8/0 SF20F Flush-Glazed door with Bright paint.

### Key Code Chart

GBG ..... Available w/Grids Between Glass

LE ..... Available w/Low-E Glass

■ ..... Available w/Extended Leadtime.

<p><b>SF61F 6<sup>8</sup></b> 2<sup>8</sup> 3<sup>0</sup> LE</p>	<p><b>SF29F 6<sup>8</sup></b> 2<sup>8</sup> 3<sup>0</sup> ■ GBG &amp; LE</p>	<p><b>SF69F 6<sup>8</sup></b> 2<sup>8</sup> 3<sup>0</sup> GBG &amp; LE</p>	<p><b>SF61FMB 6<sup>8</sup></b> 2<sup>8</sup> 3<sup>0</sup></p>
<p><b>SF20F 6<sup>8</sup></b> 2<sup>0</sup> 2<sup>4</sup> 2<sup>6</sup> 2<sup>6</sup>EZ 2<sup>8</sup> 2<sup>10</sup> 3<sup>0</sup> 3<sup>0</sup>EZ LE</p>	<p><b>SF9F 6<sup>8</sup></b> ■ 2<sup>0</sup> ■ 2<sup>4</sup> 2<sup>6</sup> 2<sup>6</sup>EZ ■ 2<sup>8</sup> ■ 2<sup>10</sup> 3<sup>0</sup> 3<sup>0</sup>EZ ■ GBG &amp; LE</p>	<p><b>SF10F 6<sup>8</sup></b> 2<sup>0</sup> 2<sup>4</sup> 2<sup>6</sup> 2<sup>6</sup>EZ 2<sup>8</sup> 2<sup>10</sup> 3<sup>0</sup> 3<sup>0</sup>EZ ■ GBG &amp; LE</p>	<p><b>SF20FMB 6<sup>8</sup></b> 2<sup>6</sup> 2<sup>8</sup> 3<sup>0</sup> Raise &amp; Lower MiniBlinds</p>
<p><b>SF20F 7<sup>0</sup></b> 2<sup>6</sup> 2<sup>8</sup> 3<sup>0</sup> LE</p>	<p><b>SF9F 7<sup>0</sup></b> 2<sup>6</sup> ■ 2<sup>8</sup> 3<sup>0</sup> ■ GBG &amp; LE</p>	<p><b>SF10F 7<sup>0</sup></b> 2<sup>6</sup> 2<sup>8</sup> 3<sup>0</sup> ■ GBG &amp; LE</p>	<p><b>SF20FMB 7<sup>0</sup></b> 2<sup>6</sup> 2<sup>8</sup> 3<sup>0</sup> Raise &amp; Lower MiniBlinds</p>
<p><b>SF20F 8<sup>0</sup></b> 2<sup>6</sup> 2<sup>8</sup> 3<sup>0</sup> 3<sup>6</sup> LE</p>	<p><b>SF3F 8<sup>0</sup></b> ■ 2<sup>6</sup> ■ 2<sup>8</sup> ■ 3<sup>0</sup> ■ LE</p>	<p><b>SF12F 8<sup>0</sup></b> ■ 2<sup>6</sup> ■ 2<sup>8</sup> ■ 3<sup>0</sup> ■ LE</p>	<p><b>SF20FMB 8<sup>0</sup></b> ■ 2<sup>6</sup> ■ 2<sup>8</sup> ■ 3<sup>0</sup> ■ LE</p>
<p><b>SFSL1F 6<sup>8</sup></b> 12" 14"</p>	<p><b>SFSL20F 6<sup>8</sup></b> 12" 14"</p>	<p><b>SFSL20F 8<sup>0</sup></b> 14"</p>	

**Flush-Glazed Profile vs. Standard Lite Kit Profile**  
(Not All Doors Available in Flush Glazed.)

**FG Flush-Glazed**

**Standard**

*Smooth Fiberglass*  
**Flush-Glazed  
Contemporary  
Collection**

Our sleek aluminum Mullion Bars compliment the clean lines of our flush-glazed smooth fiberglass door. With 5 door styles and 9 glass options (see page 36 for glass options) to choose from, you can create that unique entry you've been looking for.

**NEW**  
**Mullion Bars**  
**Available in 2 Sizes**



- Flush-Glazed Door Available in 6-8, 7-0, 8-0 & EZ-Fit Heights
- 3-1/2" & 4-1/2" Aluminum Mullion Bars Will Not Shrink
- Matching Sidelites Also Available
- 5/8" OA Glass ONLY

**STYLES**




*Color samples are reproduced as close as possible, actual color may vary.*




*SF20F4L door. Paint color shown is not Codel Coatings.*

# Smooth Fiberglass Flush-Glazed Traditional Door & Sidelite Collection




3LC door with Bright paint.



- Available in 6/8, 7/0 & 8/0 Heights
- Extended Leadtime Required
- No Finishing Available on Traditional SDL Doors

### OPTIONS



### GLASS OPTIONS



# CODEL DOORS

Oak Grain

## Textured Fiberglass Collection



TF6SDL2P door with Cinnamon stain.

### Key Code Chart




GBG ..... Available w/Grids Between Glass

LE ..... Available w/Low-E Glass









▲ ..... Available in 8<sup>0</sup> Height

■ ..... Available w/Extended Leadtime.

 ..... 20-Min. Fire Rated (6-8 Only)



Color samples are reproduced as close as possible, actual color may vary.



Color samples are reproduced as close as possible, actual color may vary.

**TF66CL**



See Page 27 For Optional Craftsman Shelf

**TFSDL203**



Simulated Divided Lite

**TFSDL206**



Simulated Divided Lite

**TFSL1**



▲12"  
▲14"

LE

**TFSL3**



12"  
14"

Fixed Grid Standard

GBG, ■ Fixed Grid & LE

**TFSL8**



▲12"  
▲14"

■ LE

**TFSL20**



▲12"  
▲14"

LE

**TFSL5**



12"  
14"

Fixed Grid Standard

GBG, ■ Fixed Grid & LE

**TFSL1MB**



12"  
14"

Raise & Lower Mini Blinds

■ LE

**TFSL20MB**



12"  
14"

Raise & Lower Mini Blinds

■ LE



TF4P door. Stain color shown is not Codel Coatings.

# CODEL DOORS

Oak Grain

## Textured Fiberglass Flush-Glazed Collection



6/8 TF20F Flush-Glazed door. Stain color shown is not Codel Coatings.


### Key Code Chart

GBG ..... Available w/Grids Between Glass

LE ..... Available w/Low-E Glass

■ ..... Available w/Extended Leadtime.

<p><b>TF61F 6<sup>8</sup></b> 28 30 LE</p>	<p><b>TF29F 6<sup>8</sup></b> 28 30 GBG Only</p>	<p><b>TF69F 6<sup>8</sup></b> 28 30 GBG &amp; LE</p>	<p><b>TFSL1F 6<sup>8</sup></b> 12" 14" LE</p>	
<p><b>TF61FMB 6<sup>8</sup></b> 28 30 LE</p>	<p><b>TF20F 6<sup>8</sup></b> 26 26EZ 28 210 30 30EZ LE</p>	<p><b>TF9F 6<sup>8</sup></b> 26 26EZ 28 210 30 30EZ GBG Only</p>	<p><b>TF10F 6<sup>8</sup></b> 26 26EZ 28 210 30 30EZ GBG Only</p>	<p><b>TF20FMB 6<sup>8</sup></b> 26 28 30 Raise &amp; Lower MiniBlinds GBG &amp; LE</p>
<p><b>TF20F 8<sup>0</sup></b> 30 LE</p>	<p><b>TF3F 8<sup>0</sup></b> 30 LE</p>	<p><b>TF12F 8<sup>0</sup></b> 30 LE</p>		




Color samples are reproduced as close as possible, actual color may vary.



# Oak Grain Textured Fiberglass Flush-Glazed Traditional Door & Sidelite Collection




9LQA door. Stain color shown is not Codel Coatings.




- Available in 6/8, 7/0 & 8/0 Heights
- Extended Leadtime Required
- No Finishing Available on Traditional SDL Doors

## OPTIONS



## GLASS OPTIONS



# CODEL DOORS

## Fir Grain Textured Fiberglass Collection (6-8 ONLY)





FG811P door. Stain color shown is not Codel Coatings.

### Key Code Chart

- GBG ..... Available w/Grids Between Glass
- LE ..... Available w/Low-E Glass
- ..... Available in 7<sup>0</sup> Height
- ▲ ..... Available in 8<sup>0</sup> Height
- ..... Available w/Extended Leadtime


<p><b>FG6P</b></p> <p>28 210 30</p> <p>Wood Edge</p>	<p><b>FG61</b></p> <p>28 210 30</p> <p>Wood Edge</p> <p>LE</p>	<p><b>FG29</b></p> <p>28 210 30</p> <p>Wood Edge</p> <p>GBG Only</p> <p>■ GBG &amp; LE</p>
<p><b>FG69</b></p> <p>28 210 30</p> <p>Wood Edge</p> <p>Fixed Grid Standard</p> <p>GBG, GBG &amp; LE</p>	<p><b>FG61MB</b></p> <p>28 210 30</p> <p>Wood Edge</p> <p>Raise &amp; Lower Mini Blinds</p> <p>LE</p>	<p><b>FG811P</b></p> <p>30</p> <p>Wood Edge</p> <p>LE</p>
<p><b>FG6SDL1P</b></p> <p>30</p> <p>Wood Edge</p> <p>Simulated Divided Lite No Matching Sidelite Available</p>	<p><b>FG20</b></p> <p>28 210 30</p> <p>Wood Edge</p> <p>LE</p>	<p><b>FG9</b></p> <p>28 210 30</p> <p>Wood Edge</p> <p>GBG Only</p> <p>■ GBG &amp; LE</p>
<p><b>FG8SDL</b></p> <p>28 210 30</p> <p>Wood Edge</p> <p>Simulated Divided Lite No Matching Sidelite Available</p>	<p><b>FG10</b></p> <p>28 210 30</p> <p>Wood Edge</p> <p>Fixed Grid Standard</p> <p>GBG, GBG &amp; LE</p>	<p><b>FG15</b></p> <p>28 210 30</p> <p>Wood Edge</p> <p>Fixed Grid Standard</p> <p>GBG, ■ GBG &amp; LE</p>



Choose one of 3 factory-applied stain colors specially formulated for our Fir Grain Textured Fiberglass doors & sidelites. (Optional)



Ginger



Nutmeg





Clove

Color samples are reproduced as close as possible, actual color may vary.



FG61 door. Stain color shown is not Codel Coatings.

**Premium Shaker Fiberglass Door Collection**



Available with any Decorative 1/2 Lite. Ask Codel rep for more information.

Clear and Decorative glass options available. Ask Codel rep for more information.



Available with any Decorative 1/2 Lite. Ask Codel rep for more information.

Clear and Decorative glass options available. Ask Codel rep for more information.



Clear and Decorative glass options available in any of the 5 panels of the SF5PSHK or FG5PSHK. Photo above shown with Rooftop glass.

SF5PSHK door. Paint color shown is not Codel Coatings.

**SF3PSHK 8/0**

Composite Edge

No Matching Sidelite Available.  
No Craftsman Shelf Available.

**FG3PSHK 8/0**



Composite Edge

No Matching Sidelite Available.  
No Craftsman Shelf Available.

**3/6 x 8/0  
Craftsman  
Lite Kit Profile**

**Optional Clear and Decorative Glass can be inserted into our 2-panel, 3-panel & 5-panel Shaker doors. Contact your Codel sales rep. for more information.**

**Optional Glass**



FG3PSHK80 door with Narrows glass. Stain color shown is not Codel Coatings.

■ Available w/Extended Leadtime. [SF] Smooth Fiberglass [FG] Fir Grain Textured

# CODEL DOORS

*"True White"*

## Oak Grain Textured Fiberglass Collection




TW6P door.

### Key Code Chart

GBG ..... Available w/Grids Between Glass

LE ..... Available w/Low-E Glass

<p><b>TW6P</b></p> <p>28 30</p> <p>No Matching Sidelite Available</p>	<p><b>TW64</b></p> <p>28 30</p> <p>Fixed Grid Only No Matching Sidelite Available</p>	<p><b>TW62</b></p> <p>28 30</p> <p>No Matching Sidelite Available</p>
<p><b>TW61</b></p> <p>28 30</p> <p>LE</p> <p>No Matching Sidelite Available</p>	<p><b>TW69</b></p> <p>28 30</p> <p>Fixed Grid Standard No Matching Sidelite Available</p> <p>GBG, GBG &amp; LE</p>	
<p><b>TW61MB</b></p> <p>28 30</p> <p>Raise &amp; Lower Mini Blinds No Matching Sidelite Available</p> <p>LE</p>	<p><b>TW6V</b></p> <p>28 30</p> <p>Vented Glass w/Screen</p> <p>LE</p>	
<p><b>TW20</b></p> <p>28 30</p> <p>No Matching Sidelite Available</p> <p>LE</p>	<p><b>TW10</b></p> <p>28 30</p> <p>Fixed Grid Standard No Matching Sidelite Available</p> <p>GBG, GBG &amp; LE</p>	<p><b>TW20MB</b></p> <p>28 30</p> <p>Raise &amp; Lower Mini Blinds No Matching Sidelite Available</p> <p>LE</p>



*Chateau CHA-439W door with CHA-160W sidelites. Stain color shown is not Codel Coatings.*

# 6/8 Rustic Fiberglass Collection "Rustic Hardwood" Grain



RUS1PV  
(30)

TF



RUS2PV  
(30)

TF



RUS2PF  
(30)

TF



Standard Lite Kit Frame (Not Wrought Iron)

RUSL20  
(12" & 14")

TF



Chateau - Wrought Iron Frame, Wrought Iron Grille

CHA-439W  
(30)

TF



Chateau - Wrought Iron Frame, Wrought Iron Grille

CHA-160W  
(12" & 14")

TF



"Knotty Alder" Grain

RUS2PAKA  
(30)

KA



"Knotty Alder" Grain

RUS2PAKASL  
(14")

KA

TF Textured Fiberglass KA Knotty Alder

## 6/8 Rustic Collection

## 8/0 Rustic Collection



Canterbury - Wrought Iron frame, Patina Caming

CAN-430WVG  
(30)



Canterbury - Wrought Iron frame, Patina Caming

CAN-430W  
(30)



Canterbury - Wrought Iron Frame, Patina Caming

CAN-160W  
(12" & 14")



RUS1PV80  
(30)



RUS2PV80  
(30, 36)



Standard Lite Kit Frame (Not Wrought Iron)

RUSL280  
(14")



Chateau - Wrought Iron Frame, Wrought Iron Grille

CHA-449W  
(30)



Wrought Iron Frame

CHA-280  
(14")

# Decorative Options for Rustic Doors

Clavos, hinge straps and speakeasies add an authentic touch to your Rustic door.

## Clavos



Codel offers clavos in 1-1/2" round or 1-1/2" square decorative black metal. Clavos and hinge straps are shipped loose so the customer can apply them on site in the design of their choice. (Clavos and hinge straps come installed on prefinished doors only.)

## Essex Speakeasy

A Speakeasy adds a touch of old world charm. Seedy Reamy glass door can open; when closed, Speakeasy seals tightly to prevent air infiltration. (Size: 10" wide x 12" high.)



(Exterior View)



(Interior View)

## Straps & Clavos



1-1/2" Clavos and 18" hinge straps can be added to Rustic doors.



## Lite Kit Frame

The galvanized frame is coated prior to powder coating for additional weather protection. It features a distinctive iron grille that enhances the old-world styling of our Rustic Door Collection.

**CODEL**  
**DOORS**

# CODEL DOORS

## Steel Door Collection (6/8 ONLY)



Steel C69 door with Bright paint.

### Key Code Chart

GBG ..... Available w/Grids between Glass

LE ..... Available w/Low-E Glass

■ ..... Extended Leadtime Required

🔥 ..... 20-Min. Fire Rated (\*6-8 Only, 3-0 Max Width.)



## STEEL DOORS

The wood-edge steel door series is a popular choice for new construction as well as remodeling projects.

The versatility and thermal advantages of a wood-edge door are combined with the durability of 24-gauge steel facings. Units are permanently held in place by the adhesion of the polyurethane core.

After assembly, doors are primed for superior corrosion resistance. Wood-edge steel doors are available with a \*20-minute fire rating for all 6'8" doors up to 3'0" wide. (\*Excludes doors w/lite kits.)

### Thermal Performance values established in accordance with the International Energy Conservation Code (IECC) section 102.3

	R value	U value	SHGC value
Steel door unit without Glass	6.25	0.16	0.00
Steel door unit with 1/4 Clear Glass	5.00	0.20	0.08
Steel door unit with 1/2 Clear Glass	3.85	0.26	0.19
Steel door unit with Full Clear Glass	2.78	0.36	0.34
Steel door unit with 1/2 LowE Glass	4.55	0.22	0.16
Steel door unit with Full LowE Glass	3.57	0.28	0.28
Steel door unit with 1/4 Decorative Glass	5.55	0.18	0.07
Steel door unit with 1/2 Decorative Glass	4.16	0.24	0.15
Steel door unit with 3/4 Decorative Glass	4.17	0.24	0.20
Steel door unit with Full Decorative Glass	3.45	0.29	0.27



<p><b>CF</b></p> <p>20 24 26 28 210 30 *36</p> <p>*3-6 is Not Available with Fire Rating</p>	<p><b>C6P</b></p> <p>26 28 210 30</p>	<p><b>C2P</b></p> <p>28 30</p>	<p><b>C4P</b></p> <p>28 30</p>	<p><b>C62</b></p> <p>26 28 210 30</p>	<p><b>C64</b></p> <p>28 210 30</p> <p>Fixed Grid Only</p>
<p><b>C648CL</b></p> <p>28 210 30</p>	<p><b>CW</b></p> <p>26 28 210 30</p> <p>Fixed Grid Standard</p> <p>GBG</p>	<p><b>CWC</b></p> <p>26 28 210 30</p>	<p><b>C622</b></p> <p>26 28 210 30</p> <p>LE</p>	<p><b>C61</b></p> <p>26 28 210 30</p> <p>LE</p>	<p><b>C29</b></p> <p>26 28 210 30</p> <p>■ GBG &amp; LE</p> <p>GBG only</p>
<p><b>C69</b></p> <p>26 28 210 30</p> <p>Fixed Grid Standard</p> <p>GBG, GBG &amp; LE / ■ Fixed Grid &amp; LE</p>	<p><b>C6V</b></p> <p>26 28 210 30</p> <p>Vented Glass w/Screen</p> <p>■ LE</p>	<p><b>C61MB</b></p> <p>26 28 210 30</p> <p>Raise &amp; Lower Mini Blind</p> <p>LE 2-8, 2-10 &amp; 3-0 ■ LE 2-6</p>	<p><b>C836</b></p> <p>20 24 26 28 210 30 36</p> <p>8 x 36 Glass</p> <p>LE</p>	<p><b>CF1</b></p> <p>26 28 210 30 36</p> <p>LE</p>	<p><b>C16</b></p> <p>20 24 26 28 210 30 36</p> <p>15 x 15 Glass</p>
<p><b>CF20</b></p> <p>20 24 26 28 210 30 *36</p> <p>2-0 &amp; 2-4 Glass size is 14x64 3-6 Glass Size is 26 x 64</p> <p>LE, *LE Only</p>	<p><b>CF20V</b></p> <p>28 210 30</p> <p>Vented Glass w/Screen</p> <p>■ LE</p>	<p><b>CF9</b></p> <p>26 28 210 30 36</p> <p>GBG Only 3-6 Glass Size is 22 x 64</p> <p>■ GBG &amp; LE</p>	<p><b>CF10</b></p> <p>20 24 26 28 210 30 36</p> <p>GBG Only 3-6 Glass Size is 22 x 64</p> <p>Fixed Grid Standard 2-0 &amp; 2-4 Glass size is 14x64 3-6 Glass Size is 22 x 64</p> <p>GBG, GBG &amp; LE 2-6 thru 3-6 ■ Fixed Grid &amp; LE, ■ GBG &amp; LE 2-0 &amp; 2-4</p>	<p><b>CF15</b></p> <p>26 28 210 30 36</p> <p>Fixed Grid Standard 3-6 Glass Size is 22 x 64</p> <p>GBG, ■ Fixed Grid &amp; LE, ■ GBG &amp; LE</p>	<p><b>CF20MB</b></p> <p>20 24 26 28 210 30 36</p> <p>Raise &amp; Lower Mini Blinds 2-0 &amp; 2-4 Glass size is 14x64 3-6 Glass Size is 22 x 64</p> <p>LE 2-8 thru 3-6 ■ LE 2-6, (LE N/A 2-0 &amp; 2-4)</p>
<p><b>C8SDL</b></p> <p>26 28 210 30 36</p> <p>Simulated Divided Lite No Matching Sidelite Available 3-6 Glass Size is 22 x 64</p>	<p><b>CSL1</b></p> <p>12" 14"</p> <p>LE</p>	<p><b>CSL3</b></p> <p>12" 14"</p> <p>Fixed Grid Standard</p> <p>GBG, ■ Fixed Grid &amp; LE</p>	<p><b>CSL20</b></p> <p>12" 14"</p> <p>LE</p>	<p><b>CSL5</b></p> <p>12" 14"</p> <p>Fixed Grid Standard</p> <p>GBG, ■ Fixed Grid &amp; LE</p>	<p><b>CSL1MB</b></p> <p>12" 14"</p> <p>Raise &amp; Lower Mini Blinds</p> <p>■ LE</p>
					<p><b>CSL20MB</b></p> <p>12" 14"</p> <p>Raise &amp; Lower Mini Blinds</p> <p>■ LE</p>

# FAST-FRAME™


## Introducing the Ultimate in Adjustable Steel Door Frames

FAST-FRAME'S advanced design adds a new dimension of flexibility and durability to Codel's steel entry door line. FAST-FRAME™ features closure kits with full 1" of adjustability to accommodate almost any variation in wall construction. This easy-to-install, user-friendly, kerfed steel door frame system is applicable to a full range of residential and commercial applications - wood or steel stud construction. FAST-FRAME is engineered to meet the most stringent code requirements including structural, impact and 90-minute fire ratings.



C690 door with Bright paint.


**Adjustable T-Strike**  
1/4" of adjustment allows for ease of field installations for proper door closure



**Closure Span Adjustment Chart**  
Wall Sizes

4 1/2" - 5 1/2"
5 1/2" - 6 1/2"
6 1/2" - 7 1/2"
7 1/2" - 8 1/2"
8 1/2" - 9 1/2"
9 1/2" - 10 1/2"

**Weatherstripping**  
Schlegal foam-filled compression (QEBD500)  
90 Min. Fire Rating



Prime Bright White EG  
Galvanized 20-gauge steel to provide superior corrosion resistance and an optimal surface for painting

### APPLICATIONS

- Multi-Family
- Assisted Living
- Motel/Hotel
- House to Garage
- Garage to Exterior



### FIRE LABELS

90 Minute Fire Rating - up to 3'0" x 6'8".

**CLOSURE TEST** In a 90-minute application, the door will close and latch from 18" if the following Fast-Frame components are used:


- QEBD500 Foam-Filled Compression Weatherstripping
- Factory Sweep
- Adjustable T-Strike
- Factory Supplied Sills



### STRUCTURAL PERFORMANCE AND IMPACT RATING

Design pressure ratings are available for compliance with national, state and local wind load and/or missile requirements. Product approval under the Miami-Dade BCCO NOA or Intertek Testing Services/Warnock Hersey® programs.

## Door Handing



### SILLS

Standard Inswing  
 Thermally broken - 5 5/8" width  
 Optional extenders for larger wall sizes  
 Note: Not for use on outswing applications.



### Handicap (ADA)

Double Slope 4-9/16" & 6-9/16" width



Tile Face 4-1/4" and 6-1/4"




■ \*Extended Lead Time

Bumper Outswing 4-9/16" width (ONLY)



■ \*Extended Lead Time

Outer Adjustable Closure  
 20-gauge Steel  
 2 uprights - 1 header



Hinge Reinforcement  
 14-gauge, unique extruded holes provide the strength of a 12-gauge hinge reinforcement

## Prehung Door Sizes

Single Door

Nominal Door Size	Rough Opening Size (wood stud)	
	Width x Height	Width x Height
2' 8" x 6' 8"	33-1/4" x 81-3/8"	
3' 0" x 6' 8"	37-1/4" x 81-3/8"	
3' 0" x 7' 0"	37-1/4" x 85-3/8"	

-All dimensions shown are for doors with standard inswing sill.  
 Deduct 13/16" for bumper outswing or handicap compliant sill.

■ Extended Leadtime Required. 🔥 90-Minute Fire-Rated.



\*Available in 7/0

# Breezeway Collection



20V



S  
SF  
TF

6V



S  
SF  
TF

## Features & Benefits

- Vented lite kit complete with removable screen
- Maintenance free frame
- Ergonomic handle design for easy lite kit operation
- Reinforced latch system secures glass in open position
- Venting lite allows for maximum air flow
- One piece screen can be easily removed
- Eliminates the need for a storm door
- Tempered safety glass
- Available in Clear & Low-E glass

S Steel SF Smooth Fiberglass TF Textured Fiberglass ■ Extended Leadtime Required

**CODEL  
DOORS**

**NEW**

# Douglas Fir Full-lite Wood Door Collection

Introducing the DF21 and 22, Douglas Fir Full-Lite Exterior doors - the first wood entry doors from CODEL. The DF21 and 22 are made with Vertical Grain Douglas Fir, the highest grade Douglas Fir available. The bottom rail contains our WeatherGuard composite bottom stile, eliminating water infiltration and decay. The DF21 comes standard with 4-1/2" stiles for a contemporary style while the DF22 has 5" stiles for a traditional design. The DF21 and 22 come standard with Low-E glass, with 5 additional textured glass options for increased privacy. This door is ideal as a front door or as patio doors.



*DF22 door.*

## Features & Benefits

- DF22 stock sizes (door size full and square)
- WeatherGuard Composite Bottom Stile standard to minimize moisture and wood decay
- DF21 available Special Order
- Non-stock sizes available Special Order
- Clear Low-E standard. (Clear only, extended lead time)
- Textured Glass options: Satin Etch, Narrow Reed, Rooftop, Chord, Rain

### Available Sizes

6/8	7/0	8/0
2 <sup>6</sup>	3 <sup>0</sup>	2 <sup>6</sup>
2 <sup>8</sup>		2 <sup>8</sup>
2 <sup>10</sup>		3 <sup>0</sup>
3 <sup>0</sup>		



**DF21** (4-1/2" Stile)



**DF22** (5" Stile)





*Vertical grain Douglas Fir.*

**Codel does not offer factory finish on these doors.**






# SINGLE-HINGED INSWING FIBERGLASS PATIO DOOR

The Single-Hinged Inswing Patio door provides the look of a double door, with the functionality of a single door. The “one-door-fixed/one-door-operable” configuration comes standard with a sliding screen, and is perfect for areas where interior space is limited. Available in a variety of sizes ranging from standard to retro-fit (EZ-Fit), the Single-Hinged Inswing Patio door is a great choice for new construction and remodel projects, alike.

*(Outswing option also available with no sliding screen)*



\*Screen not available on outswings.

	Standard 6-8 Patio Sizes (SP)	EZ-Fit (Retro) Patio Sizes (EZP)																																
<p><b>20F/20</b></p>  <p>Clear/Low-E</p> <p>SF TF</p>	<table border="1"> <thead> <tr> <th>FLUSH-GLAZED SIZES</th> <th>LITE KIT SIZES</th> </tr> </thead> <tbody> <tr> <td><b>SF20FSP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td> <td><b>SF20SP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td> </tr> <tr> <td><b>TF20FSP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td> <td><b>TF20SP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td> </tr> </tbody> </table>	FLUSH-GLAZED SIZES	LITE KIT SIZES	<b>SF20FSP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<b>SF20SP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<b>TF20FSP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<b>TF20SP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<table border="1"> <thead> <tr> <th>FLUSH-GLAZED SIZES</th> <th>LITE KIT SIZES</th> </tr> </thead> <tbody> <tr> <td><b>SF20FEZP</b> 5-0 x EZ 6-0 x EZ</td> <td><b>SF20EZP</b> 5-0 x EZ 6-0 x EZ</td> </tr> <tr> <td><b>TF20FEZP</b> 5-0 x EZ 6-0 x EZ</td> <td><b>TF20EZP</b> 6-0 x EZ</td> </tr> </tbody> </table>	FLUSH-GLAZED SIZES	LITE KIT SIZES	<b>SF20FEZP</b> 5-0 x EZ 6-0 x EZ	<b>SF20EZP</b> 5-0 x EZ 6-0 x EZ	<b>TF20FEZP</b> 5-0 x EZ 6-0 x EZ	<b>TF20EZP</b> 6-0 x EZ																				
FLUSH-GLAZED SIZES	LITE KIT SIZES																																	
<b>SF20FSP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<b>SF20SP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8																																	
<b>TF20FSP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<b>TF20SP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8																																	
FLUSH-GLAZED SIZES	LITE KIT SIZES																																	
<b>SF20FEZP</b> 5-0 x EZ 6-0 x EZ	<b>SF20EZP</b> 5-0 x EZ 6-0 x EZ																																	
<b>TF20FEZP</b> 5-0 x EZ 6-0 x EZ	<b>TF20EZP</b> 6-0 x EZ																																	
<p><b>10F/10</b></p>  <p>10-Lite Fixed or GBG</p> <p>SF TF</p>	<table border="1"> <thead> <tr> <th>FLUSH-GLAZED SIZES</th> <th>LITE KIT SIZES</th> </tr> </thead> <tbody> <tr> <td><b>SF10FSP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td> <td><b>SF10SP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td> </tr> <tr> <td><b>TF10FSP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td> <td><b>TF10SP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td> </tr> </tbody> </table>	FLUSH-GLAZED SIZES	LITE KIT SIZES	<b>SF10FSP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<b>SF10SP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<b>TF10FSP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<b>TF10SP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<table border="1"> <thead> <tr> <th>FLUSH-GLAZED SIZES</th> <th>LITE KIT SIZES</th> </tr> </thead> <tbody> <tr> <td><b>SF10FEZP</b> 5-0 x EZ 6-0 x EZ</td> <td><b>SF10EZP</b> 5-0 x EZ 6-0 x EZ</td> </tr> <tr> <td><b>TF10FEZP</b> 5-0 x EZ 6-0 x EZ</td> <td><b>TF10EZP</b> 6-0 x EZ</td> </tr> </tbody> </table>	FLUSH-GLAZED SIZES	LITE KIT SIZES	<b>SF10FEZP</b> 5-0 x EZ 6-0 x EZ	<b>SF10EZP</b> 5-0 x EZ 6-0 x EZ	<b>TF10FEZP</b> 5-0 x EZ 6-0 x EZ	<b>TF10EZP</b> 6-0 x EZ																				
FLUSH-GLAZED SIZES	LITE KIT SIZES																																	
<b>SF10FSP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<b>SF10SP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8																																	
<b>TF10FSP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<b>TF10SP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8																																	
FLUSH-GLAZED SIZES	LITE KIT SIZES																																	
<b>SF10FEZP</b> 5-0 x EZ 6-0 x EZ	<b>SF10EZP</b> 5-0 x EZ 6-0 x EZ																																	
<b>TF10FEZP</b> 5-0 x EZ 6-0 x EZ	<b>TF10EZP</b> 6-0 x EZ																																	
<p><b>9F/9</b></p>  <p>9-Lite Marginal, GBG Only</p> <p>SF TF</p>	<table border="1"> <thead> <tr> <th>FLUSH-GLAZED SIZES</th> <th>LITE KIT SIZES</th> </tr> </thead> <tbody> <tr> <td><b>SF9FSP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td> <td><b>SF9SP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td> </tr> <tr> <td><b>TF9FSP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td> <td><b>TF9SP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td> </tr> </tbody> </table>	FLUSH-GLAZED SIZES	LITE KIT SIZES	<b>SF9FSP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<b>SF9SP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<b>TF9FSP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<b>TF9SP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<table border="1"> <thead> <tr> <th>FLUSH-GLAZED SIZES</th> <th>LITE KIT SIZES</th> </tr> </thead> <tbody> <tr> <td><b>SF9FEZP</b> 5-0 x EZ 6-0 x EZ</td> <td><b>SF9EZP</b> 5-0 x EZ 6-0 x EZ</td> </tr> <tr> <td><b>TF9FEZP</b> 5-0 x EZ 6-0 x EZ</td> <td><b>TF9EZP</b> 6-0 x EZ</td> </tr> </tbody> </table>	FLUSH-GLAZED SIZES	LITE KIT SIZES	<b>SF9FEZP</b> 5-0 x EZ 6-0 x EZ	<b>SF9EZP</b> 5-0 x EZ 6-0 x EZ	<b>TF9FEZP</b> 5-0 x EZ 6-0 x EZ	<b>TF9EZP</b> 6-0 x EZ																				
FLUSH-GLAZED SIZES	LITE KIT SIZES																																	
<b>SF9FSP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<b>SF9SP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8																																	
<b>TF9FSP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<b>TF9SP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8																																	
FLUSH-GLAZED SIZES	LITE KIT SIZES																																	
<b>SF9FEZP</b> 5-0 x EZ 6-0 x EZ	<b>SF9EZP</b> 5-0 x EZ 6-0 x EZ																																	
<b>TF9FEZP</b> 5-0 x EZ 6-0 x EZ	<b>TF9EZP</b> 6-0 x EZ																																	
<p><b>20FMB/20MB</b></p>  <p>Miniblinds</p> <p>SF TF</p>	<table border="1"> <thead> <tr> <th>FLUSH-GLAZED SIZES</th> <th>LITE KIT SIZES</th> </tr> </thead> <tbody> <tr> <td><b>SF20FMBSP</b> 5-0 x 6-8 5-4 x 6-8 6-0 x 6-8</td> <td><b>SF20MBSP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td> </tr> <tr> <td><b>TF20FMBSP</b> 5-0 x 6-8 5-4 x 6-8 6-0 x 6-8</td> <td><b>TF20MBSP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td> </tr> </tbody> </table>	FLUSH-GLAZED SIZES	LITE KIT SIZES	<b>SF20FMBSP</b> 5-0 x 6-8 5-4 x 6-8 6-0 x 6-8	<b>SF20MBSP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<b>TF20FMBSP</b> 5-0 x 6-8 5-4 x 6-8 6-0 x 6-8	<b>TF20MBSP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<table border="1"> <thead> <tr> <th>LITE KIT SIZES (ONLY)</th> </tr> </thead> <tbody> <tr> <td><b>SF20MBEZP</b> 5-0 x EZ 6-0 x EZ</td> </tr> <tr> <td><b>TF20MBEZP</b> 6-0 x EZ</td> </tr> </tbody> </table>	LITE KIT SIZES (ONLY)	<b>SF20MBEZP</b> 5-0 x EZ 6-0 x EZ	<b>TF20MBEZP</b> 6-0 x EZ																							
FLUSH-GLAZED SIZES	LITE KIT SIZES																																	
<b>SF20FMBSP</b> 5-0 x 6-8 5-4 x 6-8 6-0 x 6-8	<b>SF20MBSP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8																																	
<b>TF20FMBSP</b> 5-0 x 6-8 5-4 x 6-8 6-0 x 6-8	<b>TF20MBSP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8																																	
LITE KIT SIZES (ONLY)																																		
<b>SF20MBEZP</b> 5-0 x EZ 6-0 x EZ																																		
<b>TF20MBEZP</b> 6-0 x EZ																																		
<p><b>20V</b></p>  <p>Vented w/Screen Bottom moves up and down. Top does not. Lite Kit Available in White Only</p> <p>SF TF</p>	<table border="1"> <thead> <tr> <th>LITE KIT SIZES</th> </tr> </thead> <tbody> <tr> <td><b>SF20VSP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td> </tr> <tr> <td><b>TF20VSP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td> </tr> </tbody> </table>	LITE KIT SIZES	<b>SF20VSP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<b>TF20VSP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<table border="1"> <thead> <tr> <th>LITE KIT SIZES (ONLY)</th> </tr> </thead> <tbody> <tr> <td><b>SF20VEZP</b> 6-0 x EZ</td> </tr> <tr> <td><b>TF20VEZP</b> 6-0 x EZ</td> </tr> </tbody> </table>	LITE KIT SIZES (ONLY)	<b>SF20VEZP</b> 6-0 x EZ	<b>TF20VEZP</b> 6-0 x EZ																										
LITE KIT SIZES																																		
<b>SF20VSP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8																																		
<b>TF20VSP</b> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8																																		
LITE KIT SIZES (ONLY)																																		
<b>SF20VEZP</b> 6-0 x EZ																																		
<b>TF20VEZP</b> 6-0 x EZ																																		
<p><b>CODEL</b> ENTRY SYSTEMS™</p>	<table border="1"> <thead> <tr> <th></th> <th>NET UNIT WIDTH</th> <th>INSWING ADJ. SILL</th> <th>OUTSWING BUMPER SILL</th> </tr> </thead> <tbody> <tr> <td>5-0 x 6-8</td> <td>62-3/4"</td> <td>81-3/4"</td> <td>80-1/2"</td> </tr> <tr> <td>5-4 x 6-8</td> <td>66-3/4"</td> <td>81-3/4"</td> <td>80-1/2"</td> </tr> <tr> <td>5-8 x 6-8</td> <td>70-3/4"</td> <td>81-3/4"</td> <td>80-1/2"</td> </tr> <tr> <td>6-0 x 6-8</td> <td>73-3/4"</td> <td>81-3/4"</td> <td>80-1/2"</td> </tr> </tbody> </table> <p>*Screen not available on outswings.</p>		NET UNIT WIDTH	INSWING ADJ. SILL	OUTSWING BUMPER SILL	5-0 x 6-8	62-3/4"	81-3/4"	80-1/2"	5-4 x 6-8	66-3/4"	81-3/4"	80-1/2"	5-8 x 6-8	70-3/4"	81-3/4"	80-1/2"	6-0 x 6-8	73-3/4"	81-3/4"	80-1/2"	<table border="1"> <thead> <tr> <th></th> <th>NET UNIT WIDTH</th> <th>INSWING ADJ. SILL</th> <th>OUTSWING BUMPER SILL</th> </tr> </thead> <tbody> <tr> <td>5-0 x EZ-FIT</td> <td>59-3/4"</td> <td>79-1/2"</td> <td>78-3/4"</td> </tr> <tr> <td>6-0 x EZ-FIT</td> <td>71-3/4"</td> <td>79-1/2"</td> <td>78-3/4"</td> </tr> </tbody> </table> <p>*Screen not available on outswings.</p>		NET UNIT WIDTH	INSWING ADJ. SILL	OUTSWING BUMPER SILL	5-0 x EZ-FIT	59-3/4"	79-1/2"	78-3/4"	6-0 x EZ-FIT	71-3/4"	79-1/2"	78-3/4"
	NET UNIT WIDTH	INSWING ADJ. SILL	OUTSWING BUMPER SILL																															
5-0 x 6-8	62-3/4"	81-3/4"	80-1/2"																															
5-4 x 6-8	66-3/4"	81-3/4"	80-1/2"																															
5-8 x 6-8	70-3/4"	81-3/4"	80-1/2"																															
6-0 x 6-8	73-3/4"	81-3/4"	80-1/2"																															
	NET UNIT WIDTH	INSWING ADJ. SILL	OUTSWING BUMPER SILL																															
5-0 x EZ-FIT	59-3/4"	79-1/2"	78-3/4"																															
6-0 x EZ-FIT	71-3/4"	79-1/2"	78-3/4"																															

NEW



# 6/8 & 7/0 Chord Collection

Chord SFCHO460801P & SFCHO16080 Sidelites with Ivory paint.



CHO-230  
6-8 (26 28 210 30)  
7-0 (28 30) SF Only

SF  
TF



CHO-430  
6-8 (28 210 30)  
7-0 (28 30) SF Only

SF  
TF  
FG



CHO-4301P  
(28 210 30)

SF



CHO-4301PC  
(28 30)

SF



CHO-4301PSHK  
(28 210 30)

SF  
FG



CHO-440  
(28 30)

SF  
TF

No matching sidelite available.



CHO-4401P  
(30)

SF  
FG



CHO-460  
6-8 (28 210 30)  
7-0 (28 30) SF Only

SF  
TF  
FG



CHO-200  
(30)

SF  
TF

Shown with optional C-2 IP shelf.



CHO-230  
6-8 (12" & 14")  
7-0 (14") SF Only

SF  
TF  
FG



CHO-240  
(12" & 14")

SF  
TF  
FG




CHO-160  
6-8 (12" & 14")  
7-0 (14") SF Only

SF  
TF



# 8/0 Chord Collection




CHO-24080  
(SF - 28 30)  
(TF - 30)



CHO-44080  
(SF - 28 30)  
(TF - 30)




CHO-440801P  
(30)



CHO-46080  
(30 36)



CHO-460801P  
(30)



CHO-480  
(28 30 36)



CHO-24080  
(12" & 14")



CHO-16080  
(12" & 14")



CHO-280  
(12" & 14")

## Chord Transom



■ CHO-6312 / CHO-6712 / CHO-7212

■ Extended Leadtime Required.  
Refer to Page 106 for Transom Size Information.



Chord SFCHO-440 door with Bright paint.

NEW



**Rooftop**  
Standard Low-E with Argon

# 6/8 & 7/0 Rooftop Collection

*Rooftop ROO-460 door and (2) ROO-160 sidelites with Bright paint.*



**ROO-230**  
6-8 (26 28 210 30)  
7-0 (28 30) SF Only

SF  
TF



**ROO-430**  
6-8 (28 210 30)  
7-0 (28 30) SF Only

SF  
TF  
FG



**ROO-4301P**  
(28 210 30)

SF



**ROO-4301PC**  
(28 30)

SF



**ROO-4301PSHK**  
(28 210 30)

SF  
FG



**ROO-440**  
(28 30)

SF  
TF

No matching sidelite available.



**ROO-4401P**  
(30)

SF  
FG



**ROO-460**  
6-8 (28 210 30)  
7-0 (28 30) SF Only

SF  
TF  
FG



**ROO-200**  
(30)

SF  
TF

Shown with optional C-21P shelf.



**ROO-230**  
6-8 (12" & 14")  
7-0 (14") SF Only

SF  
TF  
FG



**ROO-240**  
(12" & 14")


SF  
TF  
FG



**ROO-160**  
6-8 (12" & 14")  
7-0 (14") SF Only

SF  
TF

# 8/0 Rooftop Collection



ROO-24080  
(SF - 28 30)  
(TF - 30)



ROO-44080  
(SF - 28 30)  
(TF - 30)




ROO-440801P  
(30)



ROO-46080  
(30 36)



ROO-460801P  
(30)



ROO-480  
(28 30 36)



ROO-24080  
(12" & 14")



ROO-16080  
(12" & 14")



ROO-280  
(12" & 14")

## Rooftop Transom



■ ROO-6312 / ROO-6712 / ROO-7212

■ Extended Leadtime Required.

Refer to Page 106 for Transom Size Information.



Rooftop ROO-430 door with Tomato paint.

NEW



**Satin Etch**  
Standard Low-E with Argon

# 6/8 & 7/0 Satin Etch Collection

*Satin Etch TFSAT-460 door. Stain color shown is not Codel Coatings.*



**SAT-230**  
6-8 (26 28 210 30)  
7-0 (28 30) SF Only

SF  
TF



**SAT-430**  
6-8 (28 210 30)  
7-0 (28 30) SF Only

SF  
TF  
FG



**SAT-4301P**  
(28 210 30)

SF




**SAT-4301PC**  
(28 30)

SF



**SAT-4301PSHK**  
(28 210 30)

SF  
FG



**SAT-440**  
(28 30)

SF  
TF

No matching sidelite available.



SAT-4401P  
(30)



SAT-460  
6-8 SF & TF (26 28 210 30)  
6-8 FG (28 210 30)  
7-0 (26 28 30) SF Only



SAT-200  
(30)

Shown with optional C-21P shelf.



SAT-230  
6-8 (12" & 14")  
7-0 (14") SF Only



SAT-240  
(12" & 14")



SAT-160  
6-8 (12" & 14")  
7-0 (14") SF Only

## 8/0 Satin Etch Collection



SAT-24080  
(SF - 28 30)  
(TF - 30)



SAT-44080  
(SF - 28 30)  
(TF - 30)



SAT-440801P  
(30)



SAT-46080  
(30 36)



SAT-460801P  
(30)




SAT-480  
(28 30 36)



SAT-24080  
(12" & 14")



SAT-16080  
(12" & 14")



SAT-280  
(12" & 14")

### Satin Etch Transom



■ SAT-6312 / SAT-6712 / SAT-7212

■ Extended Leadtime Required.  
Refer to Page 106 for Transom Size Information.



**Zinc Caming**  
Standard Low-E with Argon

# 6/8 & 7/0 Cirque Collection

*Cirque SFCIR480 doors with Proctor paint.*



CIR-440  
(28 30)

SF  
TF



CIR-4401P  
(30)

SF  
FG



CIR-240  
(12" & 14")

SF  
TF  
FG



CIR-460  
6-8 (28 210 30)  
7-0 (28 30) SF Only


SF  
TF  
FG




CIR-160  
6-8 (12" & 14")  
7-0 (14") SF Only

SF  
TF

# 8/0 Cirque Collection



CIR-24080  
(SF - 28 30)  
(TF - 30)



CIR-44080  
(SF - 28 30)  
(TF - 30)



CIR-440801P  
(30)



CIR-46080  
(30 36)



CIR-460801P  
(30)



CIR-480  
(28 30 36)



CIR-24080  
(12" & 14")



CIR-16080  
(12" & 14")



CIR-280  
(12" & 14")



Fir Grain Cirque FG CIR-4401P door. Stain color shown is not Codel Coatings.

TFCAN-460 door with TFCAN-160 sidelites & TF CAN-6712 transom. Stain color shown is not Codel Coatings.



**Patina Caming**  
Standard Low-E with Argon

# 6/8 & 7/0 Canterbury Collection



**CAN-230**  
6-8 (26 28 210 30)  
7-0 (28 30) SF Only

SF  
TF



**CAN-430**  
6-8 (28 210 30)  
7-0 (28 30) SF Only

SF  
TF  
FG



**CAN-4301P**  
(28 210 30)

SF



**CAN-4301PC**  
(28 30)

SF



**CAN-4301PSHK**  
(28 210 30)

SF  
FG

No matching sidelite available.



**CAN-440**  
(28 30)

SF  
TF



**CAN-4401P**  
(30)

SF  
FG



**CAN-460**  
6-8 (28 210 30)  
7-0 (28 30) SF Only

SF  
TF  
FG



**CAN-949**  
(30)

SF  
TF



**CAN-230**  
6-8 (12" & 14")  
7-0 (14") SF Only

SF  
TF  
FG



**CAN-240**  
(12" & 14")

SF  
TF  
FG




**CAN-160**  
6-8 (12" & 14")  
7-0 (14") SF Only

SF  
TF

SF Smooth Fiberglass TF Textured Fiberglass FG Fir Grain Textured Fiberglass



# 8/0 Canterbury Collection



CAN-24080  
(SF - 28 30)  
(TF - 30)




CAN-44080  
(SF - 28 30)  
(TF - 30)



CAN-440801P  
(30)




CAN-46080  
(30 36)



CAN-460801P  
(30)



CAN-24080  
(12" & 14")



CAN-16080  
(12" & 14")



SFCAN-46080 door and SFCAN-16080 sidelite with Burgundy paint.

## Canterbury Transom




■ CAN-6312 / CAN-6712 / CAN-7212

■ Extended Leadtime Required.  
Refer to Page 106 for Transom Size Information.



# 6/8 & 7/0 Caspian Collection

*Caspian SFCAS-4301P door with Cougar Paint.*



CAS-230  
6-8 (26 28 210 30)  
7-0 (28 30) SF Only

SF  
TF



CAS-430  
6-8 (28 210 30)  
7-0 (28 30) SF Only

SF  
TF  
FG




CAS-4301P  
(28 210 30)

SF



CAS-4301PC  
(28 30)


SF



CAS-4301PSHK  
(28 210 30)


SF  
FG

No matching sidelite available.




CAS-440  
(28 30)

SF  
TF




CAS-4401P  
(30)

SF  
TF  
FG




CAS-460  
6-8 (28 210 30)  
7-0 (28 30) SF Only

SF  
TF  
FG




CAS-230  
6-8 (12" & 14")  
7-0 (14") SF Only

SF  
TF  
FG



CAS-240  
(12" & 14")


SF  
TF  
FG



CAS-160  
6-8 (12" & 14")  
7-0 (14") SF Only

SF  
TF

# 8/0 Caspian Collection



CAS-24080  
(SF - 28' 30")  
(TF - 30")



CAS-44080  
(SF - 28' 30")  
(TF - 30")



CAS-440801P  
(30")



CAS-46080  
(30" 36")



CAS-460801P  
(30")



CAS-24080  
(12" & 14")



CAS-16080  
(12" & 14")

## Caspian Transom



■ CAS-6312 / CAS-6712 / CAS-7212

■ Extended Leadtime Required.  
Refer to Page 106 for Transom Size Information.



Caspian CAS-440 door with Bright paint.



**Zinc Caming**  
Standard Low-E with Argon

# 6/8 & 7/0 Brentwood Collection

*Brentwood SFBRE-46080 door and (2) SFBRE-16080 sidelites with Carbon paint.*



**BRE-230**  
6-8 (26 28 210 30)  
7-0 (28 30) SF Only

SF  
TF



**BRE-430**  
6-8 (28 210 30)  
7-0 (28 30) SF Only

SF  
TF  
FG



**BRE-4301P**  
(28 210 30)

SF



**BRE-4301PC**  
(28 30)

SF



**BRE-4301PSHK**  
(28 210 30)

SF  
FG



**BRE-440**  
(28 30)

SF  
TF

No matching sidelite available.



**BRE-4401P**  
(30)

SF  
FG



**BRE-460**  
6-8 (28 210 30)  
7-0 (28 30) SF Only

SF  
TF  
FG



**BRE-200**  
(30)

SF  
TF

Shown with optional C-21P shelf.



**BRE-253**  
(30)

SF  
TF



**BRE-230**  
6-8 (12" & 14")  
7-0 (14") SF Only

SF  
TF  
FG



**BRE-240**  
(12" & 14")

SF  
TF  
FG



**BRE-160**  
6-8 (12" & 14")  
7-0 (14") SF Only

SF  
TF

# 8/0 Brentwood Collection



BRE-24080  
(SF - 28 30)  
(TF - 30)



BRE-44080  
(SF - 28 30)  
(TF - 30)



BRE-440801P  
(30)



BRE-46080  
(30 36)



BRE-460801P  
(30)



BRE-258  
(30)



BRE-25080  
(30 36)



BRE-24080  
(12" & 14")



BRE-16080  
(12" & 14")




Brentwood SFBRE-430 door and SFBRE-160 sidelite with Carbon paint.



# 6/8 & 7/0 Maren Collection


Maren SFMAR-460 door with Carbon paint.



MAR-230  
6-8 (26 28 210 30)  
7-0 (28 30) SF Only



MAR-430  
6-8 (28 210 30)  
7-0 (28 30) SF Only



MAR-4301P  
(28 210 30)



MAR-4301PC  
(28 30)



MAR-4301PSHK  
(28 210 30)



MAR-440  
(28 30)

No matching sidelite available.



MAR-4401P  
(30)



MAR-460  
6-8 (28 210 30)  
7-0 (28 30) SF Only




MAR-200  
(30)


Shown with optional C-2 IP shelf.



MAR-230  
6-8 (12" & 14")  
7-0 (14") SF Only




MAR-240  
(12" & 14")




MAR-160  
6-8 (12" & 14")  
7-0 (14") SF Only

# 8/0 Maren Collection



MAR-24080  
(SF - 28 30)  
(TF - 30)



MAR-44080  
(SF - 28 30)  
(TF - 30)



MAR-440801P  
(30)




MAR-46080  
(30 36)



MAR-460801P  
(30)



MAR-24080  
(12" & 14")



MAR-16080  
(12" & 14")

## Maren Transom



■ MAR-6312 / MAR-6712 / MAR-7212

■ Extended Leadtime Required.  
Refer to Page 106 for Transom Size Information.



Maren SFMAR-200 door with Bright paint.

Waterton SFWAT-46080 door with SFWAT-16080 sidelite. Paint color shown is not Codel Coatings.



# 6/8 & 7/0 Waterton Collection



WAT-230  
6-8 (26 28 210 30)  
7-0 (28 30) SF Only



WAT-430  
6-8 (28 210 30)  
7-0 (28 30) SF Only



WAT-4301P  
(28 210 30)



WAT-4301PC  
(28 30)



WAT-4301PSHK  
(28 210 30)



WAT-440  
(28 30)

No matching sidelite available.



WAT-4401P  
(30)



WAT-460  
6-8 (28 210 30)  
7-0 (28 30) SF Only



WAT-64  
(30)



WAT-200  
(30)


Shown with optional C-21P shelf.



WAT-230  
6-8 (12" & 14")  
7-0 (14") SF Only




WAT-240  
(12" & 14")



WAT-160  
6-8 (12" & 14")  
7-0 (14") SF Only



# 8/0 Waterton Collection



WAT-24080  
(SF - 28 30)  
(TF - 30)



WAT-44080  
(SF - 28 30)  
(TF - 30)



WAT-440801P  
(30)




WAT-46080  
(SF 30 36)




WAT-460801P  
(30)



WAT-480  
(28 30 36)



WAT-24080  
(12" & 14")



WAT-16080  
(12" & 14")



WAT-280  
(12" & 14")

## Waterton Transom



■ WAT-6312 / WAT-6712 / WAT-7212

■ Extended Leadtime Required.  
Refer to Page 106 for Transom Size Information.



Waterton WAT-460 door. Paint color shown is not Codel Coatings.

Artisan SFART-46080 doors and (2) SFART-16080 sidelites with Carbon paint.

# 6/8 & 7/0 Artisan Collection



ART-230  
6-8 (26 28 210 30)  
7-0 (28 30) SF Only



ART-430  
6-8 (28 210 30)  
7-0 (28 30) SF Only



ART-4301P  
(28 210 30)



ART-4301PC  
(28 30)



ART-4301PSHK  
(28 210 30)



ART-440  
(28 30)

No matching sidelite available.



ART-4401P  
(30)



ART-460  
6-8 (28 210 30)  
7-0 (28 30) SF Only




ART-200  
(30)

Shown with optional C-21P shelf.



ART-230  
6-8 (12" & 14")  
7-0 (14") SF Only




ART-240  
(12" & 14")



ART-160  
6-8 (12" & 14")  
7-0 (14") SF Only

# 8/0 Artisan Collection




ART-24080  
(SF - 28 30)  
(TF - 30)




ART-44080  
(SF - 28 30)  
(TF - 30)



ART-440801P  
(30)



ART-46080  
(30 36)




ART-460801P  
(30)




ART-480  
(28 30 36)



ART-24080  
(12" & 14")




ART-16080  
(12" & 14")



ART-280  
(12" & 14")

## Artisan Transom



■ ART-6312 / ART-6712 / ART-4212 / ART-7212

■ Extended Leadtime Required.  
Refer to Page 106 for Transom Size Information.



Artisan SFART-460 doors. Paint color shown is not Codel Coatings.



# 6/8 & 7/0 Adelaide Collection

Adelaide SFADE-440 door.  
Paint color shown is not  
Codel Coatings.



<p><b>ADE-230</b> 6-8 (26 28 210 30) 7-0 (28 30) SF Only</p>	<p><b>ADE-430</b> 6-8 (28 210 30) 7-0 (28 30) SF Only</p>	<p><b>ADE-4301P</b> (28 210 30)</p>	<p><b>ADE-4301PC</b> (28 30)</p>	<p><b>ADE-4301PSHK</b> (28 210 30)</p>	<p><b>ADE-440</b> (28 30)</p>
--	---	---	--------------------------------------	--	-----------------------------------

No matching sidelite available.




<p><b>ADE-4401P</b> (30)</p>	<p><b>ADE-460</b> 6-8 (28 210 30) 7-0 (28 30) SF Only</p>	<p><b>ADE-200</b> (30)</p>	<p><b>ADE-230</b> 6-8 (12" &amp; 14") 7-0 (14") SF Only</p>	<p><b>ADE-240</b> (12" &amp; 14")</p>	<p><b>ADE-160</b> 6-8 (12" &amp; 14") 7-0 (14") SF Only</p>
----------------------------------	---	--------------------------------	---	---	---

Shown with optional C-21P shelf.

SF Smooth Fiberglass TF Textured Fiberglass FG Fir Grain Textured Fiberglass

# 8/0 Adelaide Collection




ADE-24080  
(SF - 28 30)  
(TF - 30)




ADE-44080  
(SF - 28 30)  
(TF - 30)




ADE-440801P  
(30)



ADE-46080  
(30 36)



ADE-460801P  
(30)



ADE-480  
(28 30 36)



ADE-24080  
(12" & 14")



ADE-16080  
(12" & 14")



ADE-280  
(12" & 14")

## Adelaide Transom



■ ADE-6312 / ADE-6712 / ADE-7212

■ Extended Leadtime Required.  
Refer to Page 106 for Transom Size Information.




Adelaide TFADE-24080 doors. Stain color shown is not Codel Coatings.



# 6/8 & 7/0 Narrows Collection

*Narrows SFNAR-440 doors with Bright paint.*



**NAR-230**  
6-8 (26 28 210 30)  
7-0 (28 30) SF Only



**NAR-430**  
6-8 (28 210 30)  
7-0 (28 30) SF Only




**NAR-4301P**  
(28 210 30)



**NAR-4301PC**  
(28 30)



**NAR-4301PSHK**  
(28 210 30)



**NAR-440**  
(28 30)

No matching sidelite available.



**NAR-4401P**  
(30)



**NAR-460**  
6-8 (28 210 30)  
7-0 (28 30) SF Only



**NAR-200**  
(30)


Shown with optional C-21P shelf.



**NAR-230**  
6-8 (12" & 14")  
7-0 (14") SF Only




**NAR-240**  
(12" & 14")



**NAR-160**  
6-8 (12" & 14")  
7-0 (14") SF Only

# 8/0 Narrows Collection




NAR-24080  
(SF - 28" 30")  
(TF - 30")



NAR-44080  
(SF - 28" 30")  
(TF - 30")



NAR-440801P  
(30")



NAR-46080  
(30" 36")



NAR-460801P  
(30")



NAR-24080  
(12" & 14")



NAR-16080  
(12" & 14")



Narrows SFNAR-430 door and SFNAR-230  
sidelites with Magnolia paint.


Modena TFMOD-460 door and TFMOD-160 Sidelite with Espresso paint.



**Patina Caming**  
Standard Low-E with Argon



# 6/8 & 7/0 Modena Collection



MOD-230  
6-8 (26 28 210 30)  
7-0 (28 30) SF Only

SF  
TF



MOD-430  
6-8 (28 210 30)  
7-0 (28 30) SF Only

SF  
TF  
FG




MOD-4301P  
(28 210 30)

SF



MOD-4301PC  
(28 30)

SF



MOD-4301PSHK  
(28 210 30)

SF  
FG



MOD-440  
(28 30)

SF  
TF

No matching sidelite available.





MOD-4401P  
(30)

SF  
FG



MOD-460  
6-8 (28 210 30)  
7-0 (28 30) SF Only

SF  
TF  
FG



MOD-200  
(30)

SF  
TF

Shown with optional C-2 TP shelf.



MOD-230  
6-8 (12" & 14")  
7-0 (14") SF Only

SF  
TF  
FG



MOD-240  
(12" & 14")


SF  
TF  
FG



MOD-160  
6-8 (12" & 14")  
7-0 (14") SF Only


SF  
TF

## 8/0 Modena Collection



MOD-24080  
(SF - 28 30)  
(TF - 30)

SF  
TF




MOD-44080  
(SF - 28 30)  
(TF - 30)

SF  
TF




MOD-440801P  
(30)

SF



MOD-46080  
(30 36)

SF  
TF



MOD-460801P  
(30)

SF



MOD-480  
(28 30 36)

SF  
TF



MOD-24080  
(12" & 14")

SF  
TF



MOD-16080  
(12" & 14")

SF  
TF



MOD-280  
(12" & 14")

SF  
TF

### Modena Transom



■ MOD-6312 / MOD-6712 / MOD-7212

■ Extended Leadtime Required.  
Refer to Page 106 for Transom Size Information.



**Patina Caming**  
Standard Low-E with Argon

# 6/8 & 7/0 Harlow Collection

Harlow FG HAR-4401P door with (2) FG HAR-240 sidelites. Stain color shown is not Codel Coatings.



**HAR-230**  
6-8 (26 28 210 30)  
7-0 (28 30) SF Only



**HAR-430**  
6-8 (28 210 30)  
7-0 (28 30) SF Only



**HAR-4301P**  
(28 210 30)



**HAR-4301PC**  
(28 30)



**HAR-4301PSHK**  
(28 210 30)



**HAR-440**  
(28 30)

No matching sidelite available.



**HAR-4401P**  
(30)



**HAR-460**  
6-8 (28 210 30)  
7-0 (28 30) SF Only




**HAR-200**  
(30)


Shown with optional C-21P shelf.



**HAR-230**  
6-8 (12" & 14")  
7-0 (14") SF Only




**HAR-240**  
(12" & 14")



**HAR-160**  
6-8 (12" & 14")  
7-0 (14") SF Only

SF Smooth Fiberglass TF Textured Fiberglass FG Fir Grain Textured Fiberglass

# 8/0 Harlow Collection



HAR-24080  
(SF - 28 30)  
(TF - 30)



HAR-44080  
(SF - 28 30)  
(TF - 30)




HAR-440801P  
(30)



HAR-46080  
(30 36)




HAR-460801P  
(30)



HAR-480  
(28 30 36)



HAR-24080  
(12" & 14")



HAR-16080  
(12" & 14")



HAR-280  
(12" & 14")



## Harlow Transom



■ HAR-6312 / HAR-6712 / HAR-7212

■ Extended Leadtime Required.  
Refer to Page 106 for Transom Size Information.



Zinc Caming  
 Brass Caming  
 Standard Low-E with Argon

# 6/8 & 7/0 Floret Collection

*Floret SFFLO-24080 door with Medium Oak stain.*



FLO-230  
6-8 (26 28 210 30)  
7-0 (28 30) SF Only



FLO-430  
6-8 (28 210 30)  
7-0 (28 30) SF Only



FLO-4301P  
(28 210 30)



FLO-4301PC  
(28 30)



FLO-4301PSHK  
(28 210 30)

No matching sidelite available.



FLO-440  
(28 30)



FLO-4401P  
(30)

SF Smooth Fiberglass TF Textured Fiberglass FG Fir Grain Textured Fiberglass



FLO-18420V  
(30)



FLO-230  
6-8 (12" & 14"  
7-0 (14") SF Only



FLO-240  
(12" & 14")

## 8/0 Floret Collection



FLO-24080  
(SF - 28 30)  
(TF - 30)



FLO-44080  
(SF - 28 30)  
(TF - 30)



FLO-440801P  
(30)




FLO-24080  
(12" & 14")

## Floret Transom



■ FLO-6312 / FLO-6712 / FLO-7212

■ Extended Leadtime Required.  
Refer to Page 106 for Transom Size Information.



Floret TFFLO-430 door and (2) TFFLO-230  
sidelites with Medium Oak stain.

Eloquence SFELO-44080 doors with Carbon paint.



**Patina Caming**  
Standard Low-E with Argon

# 6/8 & 7/0 Eloquence Collection



**ELO-400**  
(SF 28 210 30)  
(TF 26 28 210 30)



**ELO-230**  
6-8 (26 28 210 30)  
7-0 (28 30) SF Only



**ELO-430**  
6-8 (28 210 30)  
7-0 (28 30) SF Only



**ELO-4301P**  
(28 210 30)



**ELO-4301PC**  
(28 30)




**ELO-4301PSHK**  
(28 210 30)



**ELO-440**  
(28 30)




**ELO-4401P**  
(30)




**ELO-460**  
6-8 (28 210 30)  
7-0 (28 30) SF Only



**ELO-230**  
6-8 (12" & 14")  
7-0 (14") SF Only



**ELO-240**  
(12" & 14")




**ELO-160**  
6-8 (12" & 14")  
7-0 (14") SF Only

No matching sidelite available.

SF Smooth Fiberglass TF Textured Fiberglass FG Fir Grain Textured Fiberglass

# 8/0 Eloquence Collection




ELO-24080  
(SF - 28' 30"  
(TF - 30)



ELO-44080  
(SF - 28' 30"  
(TF - 30)



ELO-440801P  
(30)



ELO-46080  
(30' 36)



ELO-460801P  
(30)



ELO-24080  
(12" & 14")



ELO-16080  
(12" & 14")



Eloquence ELO-46080 door and (2) ELO-16080 sidelites and Burgundy paint.



**Patina Caming**  
Standard Low-E with Argon

# 6/8 & 7/0 Sonora Collection

Sonora SFSON-44080 door with Truffle paint.



SON-230  
6-8 (26 28 210 30)  
7-0 (28 30) SF Only




SON-430  
6-8 (28 210 30)  
7-0 (28 30) SF Only



SON-4301P  
(28 210 30)



SON-4301PC  
(28 30)




SON-4301PSHK  
(28 210 30)



SON-440  
(28 30)

No matching sidelite available.



SON-4401P  
(30)



SON-460  
6-8 (28 210 30)  
7-0 (28 30) SF Only



SON-230  
6-8 (12" & 14")  
7-0 (14") SF Only



SON-240  
(12" & 14")



SON-160  
6-8 (12" & 14")  
7-0 (14") SF Only



# 8/0 Sonora Collection



SON-24080  
(SF - 28 30)  
(TF - 30)



SON-44080  
(SF - 28 30)  
(TF - 30)



SON-440801P  
(30)



SON-46080  
(30 36)




SON-460801P  
(30)



SON-24080  
(12" & 14")



SON-16080  
(12" & 14")



Sonora SON-46080 doors with Bright paint.



**Zinc Caming**  
Standard Low-E with Argon

# 6/8 & 7/0 Inspire Collection

*Inspire SFINS-440 door and (2) SFINS-240 sidelites with Tomato paint.*



**INS-400**  
(SF 28 210 30)  
(TF 26 28 210 30)



**INS-230**  
6-8 (26 28 210 30)  
7-0 (28 30) SF Only



**INS-430**  
6-8 (28 210 30)  
7-0 (28 30) SF Only



**INS-4301P**  
(28 210 30)



**INS-4301PC**  
(28 30)



**INS-4301PSHK**  
(28 210 30)

No matching sidelite available.



**INS-440**  
(28 30)



**INS-4401P**  
(30)



**INS-230**  
6-8 (12" & 14")  
7-0 (14") SF Only



**INS-240**  
(12" & 14")



*Inspire SFINS-400 door and (2) SFINS-230 sidelites with Carbon paint.*

# 8/0 Inspire Collection



INS-24080  
(SF - 28 30)  
(TF - 30)



INS-44080  
(SF - 28 30)  
(TF - 30)



INS-440801P  
(30)



INS-24080  
(12" & 14")



Inspire SFINS-230 doors with Bright paint.

**CODEL**  
**DOORS**

# Obscure Glass Options

Codel offers a variety of obscure glass options. Obscurity levels range from, glass that lets in plenty of light and definable detail, to obscurity options offering various degrees of privacy.



**Clear or Low-E**



**Chord**



**Monumental**



**Narrow Reed**



**Pinhead**



**Rain**




**Rooftop**



**Sable**



**Satin Etch**



**Screen Dot**



**Travertine**



**White Laminate**

Most Obscure Glass Options are not available in stock and require longer extended leadtimes. Please check with Codel Representative for availability.

# Specialty Glass Options

Codel offers additional options in Specialty glass. These include sound-proofing glass for noise reduction, thicker glass for added strength, reduction in heat loss, and more Low-E options. Contact Codel for more information.



SF64/TF64



SF648



SF3P



SF61



SF81



SF20



SFSL1



SFSL8



SFSL20



## More Choices in Specialty Glass

- Reduce noise with sound-proofing glass
- Thicker glass options for added strength and less heat loss
- Additional Low-E glass options to meet higher U-Values
- GBG with color
- Custom Textures
- Custom Decorative Glass

Contact your Codel Rep.  
for more information.




# Inswing Split Finish (Optional)

Want one color on the outside of your door to complement your home's exterior and a different color on the inside to match your interior? Codel Doors offers 24 paint and 7 stain colors (see back cover) to customize your door for just the right look. Ask your Codel rep. for information.


## Inswing (Exterior View)



## Inswing Unit - Split Finish



Color is split at center groove of the proud edge.



Color samples are reproduced as close as possible, actual color may vary.


# Outswing Split Finish (Optional)

Want one color on the outside of your door to complement your home's exterior and a different color on the inside to match your interior? Codel Doors offers 24 paint and 7 stain colors (see back cover) to customize your door for just the right look. Ask your Codel rep. for information.


## Outswing (Exterior View)



### Outswing Unit - Split Finish





(Inside of Home)



(Outside of Home)


Color is split at center groove of the proud edge.



Color samples are reproduced as close as possible, actual color may vary.

# WeatherGuard

COMPOSITE FRAME



SF20F door with Bright paint.







Codel's WeatherGuard Composite Frame System is an innovative alternative to traditional wood jambs. This poly-fiber doorframe system combines all the strength and convenience of wood with enhanced properties that make it moisture, rot and insect resistant. This unique formulation guarantees that the WeatherGuard frame will not absorb or wick moisture and resists warping, splintering and rotting.

The WeatherGuard product line is available in two varieties. White Cap is a smooth, semi-gloss white that can be painted or left unfinished to compliment the Codel Smooth Fiberglass door. Textured has an embossed grain that can be painted or stained to compliment the Codel Textured Fiberglass door. The advanced WeatherGuard system can be installed the same way as traditional wood jambs.

Exclusive to WeatherGuard is our patented "Seams-Rite" spline that enables the brickmould to be applied to the jamb without using nails. Besides eliminating nail holes, "Seams-Rite" ensures a continuous water barrier.



(Vinyl nailing flange is optional.)

White Cap	<b>Jamb</b>		<b>Jamb</b>	
	<b>2" Brickmould</b>		<b>2" Brickmould</b>	
	<b>Mullpost</b>		<b>Mullpost</b>	
	Textured Embossed			

## Features & Benefits

- Poly-fiber composite jamb system is an attractive, affordable, and low maintenance option to traditional wood
- Closed cellular structure is a unique formulation that ensures product will not warp, split or absorb moisture
- Greater screw holding power than wood
- Installs the same as traditional wood jambs
- Available in smooth semi-gloss white cap and stainable textured embossed
- Matching mullposts offering sidelite and transom capabilities
- Installation and finishing recommendation label applied to every frame
- Limited lifetime warranty




## Adjustable Sill Pan

The Adjustable Sill Pan is a durable, PVC plastic unit that helps you protect your sill and entry door from water damage.

- Sloped weep areas located beneath the Jamb-to-sill joint that direct moisture away from areas that could be damaged
- Durable weather-resistant material impervious to rust, corrosion, galvanic corrosion, electrolysis and corrosive coastal areas
- Depths to accommodate most door applications in either 2 x 4 or 2 x 6 construction
- Easy installation with the multiple piece design

**Available in  
4-9/16" & 6-9/16"**



## Jamb Options

Available sizes: 4-9/16", 5-1/4", 6-9/16", and 7-1/4".




**White Cap Composite Jamb**



**Textured Tan Composite Jamb**

### Primed Finger Solid Wood Joint

Our domestic Ponderosa pine door frames are treated with blue acrylic end sealer to prevent wicking. Sealer is applied to bottom of jamb.



### Inswing Water-Shed Sill

- Built-in weep system
- All composite for durability
- Special bumper sweep compensates for gaps; no adjustment needed
- Water-tight butyl end seal gasket



### Inswing Adjustable Sill

- High performance Imperial seal technology
- All composite for durability
- Adjustable rail ensuring a tight fit
- Water-tight butyl end seal gasket



### Inswing Fixed Sill

- Thermal efficient composite cap
- Durable economic design
- Water-tight butyl end seal gasket



### Outswing Bumper Sill

- All-aluminum durability
- High performance outswing design
- Water-tight butyl end seal gasket



### Outswing Oak Bumper Sill

- Stain grade hardwood interior
- High performance outswing design
- Water-tight butyl end seal gasket



### LowPro Sill (Inswing or Outswing)


- ADA compliant
- Durable all-aluminum design
- Not recommended for high weather exposure



All Sills Available in:



Mill Finish



Bronze Finish

# High Performance Commercial Grade Ball Bearing Hinges are **Standard** on Codel Fiberglass Doors

## Strength and Durability:

Heavy-duty commercial strength hinge, that is much thicker than the standard residential hinge found on most residential fiberglass doors in the industry. This stronger hinge keeps your door true and fit in the opening, and reduces the risk of sagging.

## Smooth Operation:

Our heavy-duty hinges come standard with ball bearings, giving your entry door ease of opening and years of quiet operation.

## Appearance and Security:

With a thickness of 3.3mm, and ¼ radius, these hinges are not only aesthetically pleasing, but are more secure than the traditional residential hinge. These hinges are sealed on the top and bottom, so pin is not removable.



**US15 Satin Nickel**  
(Non-Ferrous or \*Self-Closing Options Also Available)



**US26 Bright Chrome**  
(\*Self-Closing Option Also Available)



**US26D Brushed Chrome**  
(\*Self-Closing Option Also Available)



**US3 Brass**  
(Non-Ferrous or \*Self-Closing Options Also Available)



**US1D Black**  
(Non-Ferrous or \*Self-Closing Options Also Available)



**US10B Bronze**  
(Non-Ferrous or \*Self-Closing Options Also Available)



**US5 Antique Brass**  
(Self-Closing Option Available as Special Order)



**US32D Stainless Steel**  
(Non-Ferrous)

\*Self-Closing Hinges **ARE NOT** Ball Bearing.

■ Extended Leadtime Required.



**Codel recommends non-ferrous hinges on all outswing doors as steel based hinges may develop rust if they are exposed to moisture.**

## Steel Door Standard Hinge



Our steel doors come with a standard weight hinge, available in the same color choice options noted above.



# MultiPoint Locking Systems

Codel Doors offers MultiPoint Locking Systems of the finest design, most precise machining and highest quality materials providing homeowners with a secure locking system stronger than traditional deadbolt locks.



### Screw Support

Prevents flexing or bending of the gear for life-time performance and smoother operation.



### Mishandling Device

Prevents multiple locking points from accidentally firing and potentially damaging door trim. Fully field reversible.



### Solid Stainless Steel Deadbolt

Highly corrosion resistant and stronger than traditional deadbolts.



### Manual Tongue (Top & Bottom)

While offering security in the locked position, the manual tongue engages into the jamb or mull post and retracts when opened, giving a smooth, clean appearance.



### Flush Bolts (Top & Bottom)

*(Optional) MultiPoint is available for the inactive door.* The flush-bolts operate by the handle on the in-active panel, sending the flush-bolts simultaneously into the head and sill, offering a smooth and easy operation and securing your entry door.



Traditional

Contemporary



(Deadbolt not shown.)

## MultiPoint Hardware Options & Finishes

### Features and Benefits

- 300 Series Stainless Steel-Highly corrosion resistant
- Self Lubricating Parts - Last longer by eliminating the need to lubricate locks
- Helps prevent doors from bowing and adds extra security at the same time
- Schlage Keyway

- Only available on Fiberglass door units.  
- Not available on cut-down units.



# MultiPoint - Grip Series

TONGUE LATCH SYSTEM



## Finishes



Satin Nickel

Bronze

Multiple locking points maintain door panel integrity, prevent door warpage, improve weather resistance and increase security.



Consumer friendly with 1/4 turn deadbolt lock indicator.

## Savoy



Available in Satin Nickel & Oil Rubbed Bronze finishes.

## Windsor



Available in Satin Nickel & Oil Rubbed Bronze finishes.

## Lumina



Available in Satin Nickel & Oil Rubbed Bronze finishes.

## Grip & Lever Series Features

- Available for 6/8, 7/0 and 8/0 Doors
- Available in Satin Nickel and Oil Rubbed Bronze
- Conventional Deadbolt and Lever Handle Spacing at 5-1/2"
- Adjustable Strike Plates
- Dummy Sets Available for Double Door Units
- Deadbolts & Levers Meet ANSI Grade 2 Standards
- Schlage Keyway

Only Available on Fiberglass Door Units.

# CODEL DOORS



# MultiPoint - Lever Series

TRIPLE LATCH SYSTEM



3 latches automatically engage when door closes to prevent door warpage and increase security.

Consumer friendly with 1/4 turn deadbolt lock indicator.




Adjustable strikes for optimum operation.

Extended strike for outswing units.



## Finishes



Only Available on Fiberglass Door Units.

## Classique



Available in Satin Nickel & Oil Rubbed Bronze finishes.

## Classique Monaco



Available in Satin Nickel & Oil Rubbed Bronze finishes.

## Classique Verona



Available in Satin Nickel & Oil Rubbed Bronze finishes.

## Times



Available in Satin Nickel & Oil Rubbed Bronze finishes.

## Times Verona



Available in Satin Nickel, Oil Rubbed Bronze & Bright Chrome finishes.

## Dahli



Available in Satin Nickel & Oil Rubbed Bronze finishes.

## Dahli Verona



Available in Satin Nickel & Oil Rubbed Bronze finishes.

## Grip & Lever Series Features

- Available for 6/8, 7/0 and 8/0 Doors
- Conventional Deadbolt and Lever Handle Spacing at 5-1/2"
- Adjustable Strike Plates
- Dummy Sets Available for Double Door Units
- Deadbolts & Levers Meet ANSI Grade 2 Standards
- Schlage Keyway



# Standard Grip & Lever Handle Hardware

(Not MultiPoint)

## Zenia (Grip)



Available in Satin Nickel & Oil Rubbed Bronze finishes.

## Venice (Lever)



Available in Satin Nickel & Oil Rubbed Bronze finishes.

## Venice Verona (Lever)



Available in Satin Nickel, Oil Rubbed Bronze & Bright Chrome finishes.

## Chelsea (Lever)



Available in Satin Nickel, Oil Rubbed Bronze & Brass finishes.

### Finishes



*Satin Nickel*



*Bronze*



*Bright Chrome*

*(Available on Venice Verona ONLY)*



*Brass*

*(Available on Chelsea ONLY)*

## Standard Grip & Lever Series Features

- Available for 6/8, 7/0 and 8/0 Doors
- Conventional Deadbolt and Lever Handle Spacing at 5-1/2"
- 2-3/8" Backset x 2-1/8" Face Bore
- Deadbolts & Levers Meet ANSI Grade 2 Standards
- Limited Lifetime Warranty
- Schlage Keyway




# Contemporary Door Pulls



### Roller Catch

Two heavy-duty roller catches located near the top and bottom of the door ensure a secure closure. Available in Satin Nickel and Oil Rubbed Bronze.



24" Round Door Pull



60" Round Door Pull

### Finishes



Satin Nickel



Black

Only Available on Fiberglass Door Units.

60" Round Door Pull only available in 3-0 lip lite configuration.





# CODEL Door Configurations



Single Prehung



Single Prehung with Sidelite on the Strike Side  
*(This is Codel's STANDARD)*

Also available with Sidelite on hinge side.



\*Single Prehung with "Direct-Set" Style Sidelite on the Strike Side  
*(Available with Smooth or Oak Grain Textured Fiberglass Panel ONLY)*

Also available with Sidelite on hinge side.



Single Prehung with Two Sidelites

Also available with Direct Sidelite option.



Double Prehung



\*\*Double Prehung with Two Sidelites

Also available with Direct Sidelite option.



Single Prehung with Transom Above



Single Prehung with Sidelite on the Strike Side and Transom Above

Also available with Direct Sidelite option.



Single Prehung with Sidelite on the Hinge Side and Transom Above

Also available with Direct Sidelite option.



Single Prehung with Two Sidelites and Transom Above

Also available with Direct Sidelite option.



\*\*Double Prehung with Transom Above



\*\*Double Prehung with Two Sidelites and Transom Above

Also available with Direct Sidelite option.



\*\*\*Patio Unit (Hinged off the Mull Post)  
R-H Active / L-H Swing



\*\*\*Patio Unit (Hinged off the Mull Post)  
L-H Active / R-H Swing



\*\*\*Patio Unit (Hinged off the Jamb)  
R-H Active / R-H Swing



\*\*\*Patio Unit (Hinged off the Jamb)  
L-H Active / L-H Swing

\*Single Prehung with "Direct-Set" Style Sidelite: Available 6/8 and 7/0 Only. 8/0 Direct sidelite available on hinge side.

\*\* Double Prehung Unit: (aka "Pair of Doors" and "French Doors") Both Doors Open - One active door and one inactive (passive) door. The inactive door has an astragal with flush bolts attached to it to keep it stationary when not in use.

\*\*\* Patio Unit: (aka "Atrium Unit") Only ONE door opens - One operable door and one fixed door - The fixed door will never open.

# Decorative Transom Sizes & Door Handing

## DECORATIVE TRANSOM SIZES







SERIES	FOR USE OVER	ACTUAL GLASS SIZE	*NET UNIT SIZE
6312	Use Over 3-0 Door w/2 Ea. 12" Sidelites	62-3/4" x 12"	64-3/8" x 95-3/8"
6712	Use Over 3-0 Door w/2 Ea. 14" Sidelites	66-3/4" x 12"	68-3/8" x 95-3/8"
7212	Use Over 6-0 DBL. Door (NO Sidelites)	72-1/4" x 12"	73-7/8" x 95-3/8"

*\*Net Unit Height includes a 6-8 INSWING prehung with standard fixed or adjustable sill - For OUTSWING Unit, deduct 1-1/4" from Net Unit Height.*

*For 7-0 prehung, add 4" to Net Unit Height.*

*For 8-0 prehung, add 16" to Net Unit Height.*

## DOOR HANDING



\*See page 54 for Patio Door Handing.

# Prehung Net Unit Measurements

Add 5/8" to any Net Unit Width and 3/8" to any Net Unit Height **IF IT IS AN OUTSWING** with the NAILING FLANGE.

NET UNIT WIDTHS*							NET UNIT HEIGHTS		
DOOR WIDTH	NET SLAB SIZE	NET UNIT WIDTH	PLUS 1 EACH 12" SIDELITE	PLUS 2 EACH 12" SIDELITES	PLUS 1 EACH 14" SIDELITE	PLUS 2 EACH 14" SIDELITES	FIXED OR ADJ INSWING SILL	BUMPER OUTSWING SILL	ADA LOW-PRO IN/OUT SWING SILL
2-0 x 6-8	23-3/4" x 79"	25-1/2"	38-7/8"	52-1/4"	40-7/8"	56-1/4"	81-3/4"	80-1/2"	81"
2-4 x 6-8	27-3/4" x 79"	29-1/2"	42-7/8"	56-1/4"	44-7/8"	60-1/4"	81-3/4"	80-1/2"	81"
2-6 x 6-8	29-3/4" x 79"	31-1/2"	44-7/8"	58-1/4"	46-7/8"	62-1/4"	81-3/4"	80-1/2"	81"
2-8 x 6-8	31-3/4" x 79"	33-1/2"	46-7/8"	60-1/4"	48-7/8"	64-1/4"	81-3/4"	80-1/2"	81"
2-10 x 6-8	33-3/4" x 79"	35-1/2"	48-7/8"	62-1/4"	50-7/8"	66-1/4"	81-3/4"	80-1/2"	81"
3-0 x 6-8	35-3/4" x 79"	37-1/2"	50-7/8"	64-1/4"	52-7/8"	68-1/4"	81-3/4"	80-1/2"	81"
3-6 x 6-8	41-3/4" x 79"	43-1/2"	56-7/8"	70-1/4"	58-7/8"	74-1/4"	81-3/4"	80-1/2"	81"
4-0 x 6-8	47-3/4" x 79"	49-1/2"	62-7/8"	76-1/4"	64-7/8"	80-1/4"	81-3/4"	80-1/2"	81"
4-0 x 6-8 DBL	--	50"	63-3/8"	76-3/4"	65-3/8"	80-3/4"	81-3/4"	80-1/2"	81"
4-8 x 6-8 DBL	--	58"	71-3/8"	84-3/4"	73-3/8"	88-3/4"	81-3/4"	80-1/2"	81"
5-0 x 6-8 DBL	--	62"	75-3/8"	88-3/4"	77-3/8"	92-3/4"	81-3/4"	80-1/2"	81"
5-4 x 6-8 DBL	--	66"	79-3/8"	92-3/4"	81-3/8"	96-3/4"	81-3/4"	80-1/2"	81"
5-8 x 6-8 DBL	--	70"	83-3/8"	96-3/4"	85-3/8"	100-3/4"	81-3/4"	80-1/2"	81"
6-0 x 6-8 DBL	--	74"	87-3/8"	100-3/4"	89-3/8"	104-3/4"	81-3/4"	80-1/2"	81"
7-0 x 6-8 DBL	--	86"	99-3/8"	112-3/4"	101-3/8"	116-3/4"	81-3/4"	80-1/2"	81"
8-0 x 6-8 DBL	--	98"	111-3/8"	124-3/4"	113-3/8"	128-3/4"	81-3/4"	80-1/2"	81"
2-6 x 7-0	29-3/4" x 83"	31-1/2"	44-7/8"	58-1/4"	46-7/8"	62-1/4"	85-3/4"	84-1/2"	85"
2-8 x 7-0	31-3/4" x 83"	33-1/2"	46-7/8"	60-1/4"	48-7/8"	64-1/4"	85-3/4"	84-1/2"	85"
3-0 x 7-0	35-3/4" x 83"	37-1/2"	50-7/8"	64-1/4"	52-7/8"	68-1/4"	85-3/4"	84-1/2"	85"
5-0 x 7-0 DBL	--	62"	75-3/8"	88-3/4"	77-3/8"	92-3/4"	85-3/4"	84-1/2"	85"
5-4 x 7-0 DBL	--	66"	79-3/8"	92-3/4"	81-3/8"	96-3/4"	85-3/4"	84-1/2"	85"
6-0 x 7-0 DBL	--	74"	87-3/8"	100-3/4"	89-3/8"	104-3/4"	85-3/4"	84-1/2"	85"
2-6 x 8-0	29-3/4" x 95"	31-1/2"	44-7/8"	58-1/4"	46-7/8"	62-1/4"	97-3/4"	96-1/2"	97"
2-8 x 8-0	31-3/4" x 95"	33-1/2"	46-7/8"	60-1/4"	48-7/8"	64-1/4"	97-3/4"	96-1/2"	97"
3-0 x 8-0	35-3/4" x 95"	37-1/2"	50-7/8"	64-1/4"	52-7/8"	68-1/4"	97-3/4"	96-1/2"	97"
3-6 x 8-0	41-3/4" x 95"	43-1/2"	56-7/8"	70-1/4"	58-7/8"	74-1/4"	97-3/4"	96-1/2"	97"
5-0 x 8-0 DBL	--	62"	75-3/8"	88-3/4"	77-3/8"	92-3/4"	97-3/4"	96-1/2"	97"
5-4 x 8-0 DBL	--	66"	79-3/8"	92-3/4"	81-3/8"	96-3/4"	97-3/4"	96-1/2"	97"
6-0 x 8-0 DBL	--	74"	87-3/8"	100-3/4"	89-3/8"	104-3/4"	97-3/4"	96-1/2"	97"
7-0 x 8-0 DBL	--	86"	99-3/8"	112-3/4"	101-3/8"	116-3/4"	97-3/4"	96-1/2"	97"
2-6 x EZ FIT	28-1/4" x 76-3/4"	30"	N/A	N/A	N/A	N/A	79-1/2"	78-1/4"	78-3/4"
3-0 x EZ FIT	34-1/4" x 76-3/4"	36"	N/A	N/A	N/A	N/A	79-1/2"	78-1/4"	78-3/4"
5-0 x EZ DBL	--	58-1/4"	N/A	N/A	N/A	N/A	79-1/2"	78-1/4"	78-3/4"
6-0 x EZ DBL	--	70-1/4"	N/A	N/A	N/A	N/A	79-1/2"	78-1/4"	78-3/4"

\*For Douglas Fir Wood Doors add 1" to Net Unit Heights.


### Paint Colors



### Stain Colors




### Fir Grain Stain Colors



Available on Fir-Grain Doors (See pages 26-29, & 42-43).

### Flush Cherry Wood Stain Colors



Available on Flush Cherry Doors Only (See page 19).

#### Why doesn't the color on my product look exactly like it does in the catalog or website?

Due to the limitations of photography, there is no guarantee that your product's colors will have the same appearance as they do in print or online. We always recommend you see an actual sample before deciding on a color choice. Contact a Codel dealer to request a color chip sample.